

COLORAMA 1 MULTICOLOUR

- Exclusive Colorama Trevira CS sheer fabric woven with a multicolour yarn for attenuated colour and texture
- Cradle to Cradle Certified™ Bronze
- Standard 100 by Oeko-Tex® certified, free from harmful substances
- Washable up to 72°

APPLICATIONS



FABRIC PROPERTIES

	Transparent
	Polyester Trevira CS
	130 g/m ²
	0.45 mm
	325 cm
	330 cm
	330 cm

WASHING INSTRUCTIONS

							
	-1%	-2%	-2.5%	-0.5%			
							
	-1%			-0.5%			
							

FEATURES / TECHNICAL PROPERTIES

	6
	Flame retardant
	Applicable in humid areas
	Fabric must be turned
	Fabric must be turned
	Oeko-Tex, Cradle to Cradle

FIRE PROTECTION

B-s1,d0 (EN 13501-1)
 Class 1 (EN 13773)
 Class 1 (UNI 8456)
 B1 (DIN 4102-1)
 M1 (NF P 92-503/5/7)
 Type C (BS 5867-2)
 NFPA 701



Colorama 1 Multicolour

OPTICAL AND SOLAR COEFFICIENTS (± 5%, DIN EN 410)

Colour	T _v	T _s	R _s	A _s	T _{UV}	F _c	g _{tot}
111	42.3	42.1	52.2	5.7	24.8	0.62	0.45
131	36.0	36.9	42.4	20.7	21.8	0.68	0.49
161	33.1	33.7	35.6	30.7	21.0	0.72	0.52
181	29.5	29.6	28.3	42.1	20.4	0.76	0.55
211	42.8	43.2	48.7	8.1	24.4	0.64	0.46
261	33.1	33.2	35.0	31.8	20.5	0.72	0.52
431	32.3	36.6	40.9	22.5	24.1	0.69	0.49
461	31.0	36.0	39.4	24.6	19.0	0.70	0.50


T_v Visible light transmission **R_s** Solar reflectance **T_{UV}** UV transmission **g_{tot}** Total g-value
T_s Solar transmission **A_s** Solar absorption **F_c** Shading factor

F_c + g_{tot}: Value calculated with glass: 0.72 / U_g = 1.6 W/m² K, DIN EN 13363-1


Colorama 1 Multicolour




111



131



161



181



211



261



431



461

Colours shown are not binding