


ROOM DIVIDER/ CUBICLE TRACK SYSTEMS



GENERAL NOTES

Dimensions

- Measurements are in mm except where indicated.
- Max. kg relates to fabric incl. accessories.
- Stack size depends on curtain make-up and fabric thickness.
- Distance between gliders max. 80 mm / distance between rollers max. 100 mm.
- Recommended distance floor / fabric: 20 mm.
- In order to determine system height (B), the smallest room height must be taken into account.









Fitting

- Installation by qualified fitter only.
- Number of brackets and fitting positions / fixing points vary depending on fitting surface, system weight, fabric make-up, screw / fixing type and obstacles.
- Qualified fitter must use appropriate screws / fixings for each situation.
- Profile lip if applicable to be installed to room side.



Child Safety

- All relevant Silent Gliss systems correspond to child safety EN 13120.
- All parties involved must comply with EN 13120.

APPLICATION CHART

<u>PAGE</u>	<u>SYSTEM</u>	<u>OPERATION</u>	<u>DIMENSION</u>	<u>DESIGN</u>	<u>WAVE</u>
5	SG 1003		S		
13	SG 6100		S - L		
25	SG 6103		S - L		

SG 1003



PRODUCT INFORMATION

- **Operation:** hand
- **Range:** S
- **Fitting:** suspended, wall, ceiling
- **Colours:** white RAL 9016 or anodised aluminum, special colours possible
- **Fabrics:** refer to Silent Gliss fabric collection


Features:

- Bendable
- Suspended

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information




SG 1003p

Profile

Radius:
✓ 15 cm, 20 cm, >25 cm

B. HOW TO MEASURE



A: System width

B: System height

C: Distance between floor and fabric

D: Distance between ceiling and system

C. SPECIFICATION

TEXT

EN

Silent Gliss SG 1003 Cubicle Curtain Track System. Comprises aluminium profile SG 1003 supplied made to measure in silver anodised or powder coated in white with gliders SG 3533/SG 3089 at 14/m. 2 stops SG 3070. 2 End caps SG 3014. Top fixed with SG 6124/SG 6190 at 800-1500 mm centres. Wall fixed with SG Smart Fix at 800-1500 mm centres.

SV

Silent Gliss SG 1003 dusch/draperi system. Består av aluminiumprofil SG 1003 i specificerad längd i vitlack, alu natur eller angiven RAL färg. 14 st SG 3533/3089 glid med krok per meter. 2 ändstopp SG 3070. Ändskydd SG 3014. Takmonteras med fäste SG 6124/SG 6190 c/c 800-1500 mm. Vägghontering med SG Smart Fix c/c 800-1500 mm.

NO

Silent Gliss SG 1003 Dusj- og Cubiclesystem Består av aluminiumprofil SG 1003 i spesifisert lengde. Hvitlakkert, alu natur eller spesifisert RAL farge. 14 stk SG 3533/3089 glidere m/krok pr meter. 2 stk endestopp SG 3014. Takmonteres med feste SG 6124/SG6190 c/c 800-1500 mm. Veggmontering med SG Smart Fix c/c 800-1500 mm.

DA


Silent Gliss SG 1003 gardinskinnesystem til kabiner. Består af aluminiumprofil SG 1003 i ønsket længde, sølvanodiseret eller hvid pulverlakering med 14 stk. glidere SG 3533/SG 3089 pr. m. 2 stop SG 3070. 2 endelåg SG 3014. Loftmonteres med SG 6124/SG 6190 i afstande på 800-1500 mm. Vægmonteres med SG Smart Fix med en afstand på 800-1500 mm.

FITTING


A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points




Dust cover




B. CEILING FITTING


Hanger SG 6190 / SG 6196




Or variant with SG 6196 double hanger.



SG 3042
Wall bracket





SG 6190
Hanger



SG 6196
Double hanger

Mini hanger SG 6175







SG 6175

Mini hanger

Bracket SG 6124




SG 6124


Bracket

C. WALL FITTING


Smart Fix



Smart Fix with slot SG 11206 - SG 11208:
Screw SG 10492 (M4x8) needed.




Square Smart Fix with slot SG 11216 - SG 11218:
Screw SG 10492 (M4x8) needed.



Universal Smart Fix SG 11154 - SG 11156:
Screw SG 11131 (M4x6) needed.

Smart Fix	X mm
SG 11206 / SG 11216	33-51
SG 11207 / SG 11217	53-71
SG 11208 / SG 11218	73-91
SG 11154	102-130
SG 11155	132-160
SG 11156	182-210




SG 6117
Slot nut




SG 10492
Pan head screw M4x8




SG 11131
Pan head screw with flange
M4x6




SG 11206
Smart Fix with slot 60 mm




SG 11207
Smart Fix with slot 80 mm




SG 11208
Smart Fix with slot 100 mm




SG 11216
Square Smart Fix with slot 60
mm




SG 11217
Square Smart Fix with slot 80
mm




SG 11218
Square Smart Fix with slot
100 mm



SG 11154
Universal Smart Fix 120 mm



SG 11155
Universal Smart Fix 150 mm



SG 11156
Universal Smart Fix 200 mm


PARTS

A. STANDARD PARTS



SG 1003p

Profile




SG 3014

End cover



SG 3070

End stop




SG 3085

Spring stop



SG 3533


Glider



SG 6124

Bracket

B. OPTIONAL PARTS




SG 3042

Wall bracket




SG 3534

Glider 3533 on strip




SG 3582

Hook




SG 6110

Dust cover




SG 6117

Slot nut




SG 6125

Corner connection piece




SG 6173

Connection bridge




SG 6175

Mini hanger



SG 6190

Hanger




SG 6196

Double hanger




SG 6501

V-Hanger




SG 6530

V-Hanger




SG 10430

Draw rod 50 cm




SG 10431

Draw rod 75 cm




SG 10432

Draw rod 100 cm




SG 10433

Draw rod 125 cm




SG 10434

Draw rod 150 cm




SG 10492

Pan head screw M4x8




SG 11131

Pan head screw with flange M4x6




SG 11154

Universal Smart Fix 120 mm




SG 11155

Universal Smart Fix 150 mm




SG 11156

Universal Smart Fix 200 mm




SG 11206

Smart Fix with slot 60 mm




SG 11207

Smart Fix with slot 80 mm




SG 11208

Smart Fix with slot 100 mm




SG 11216

Square Smart Fix with slot 60 mm




SG 11217

Square Smart Fix with slot 80 mm



SG 11218



Square Smart Fix with slot 100 mm



SG 11335

End stop

SG 6100



PRODUCT INFORMATION

- **Operation:** hand
- **Range:** S - L
- **Fitting:** suspended, ceiling, wall
- **Colours:** white RAL 9016, black RAL 9005 or anodised aluminum, special colours possible
- **Fabrics:** refer to Silent Gliss fabric collection


Features:

- Universal room divider
- 2-component (2C) glider technology
- Wave (2C)
- Suspended
- Versatile layouts
- Bendable

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information




SG 6101

Profile

Radius:
✓ 20 cm, >25 cm

B. HOW TO MEASURE



A: System width

B: System height

C: Distance between floor and fabric

D: Distance between ceiling and system

C. SPECIFICATION

TEXT

EN

Silent Gliss SG 6100 Cubicle Curtain Track System. Comprises aluminium profile SG 6101 supplied made to measure in silver anodised or powder coated in white. 2 stops SG 6065. 2 End caps SG 6611. Supplied with 2C gliders SG 11300/SG 6145 with hooks at 14/m. Top fixed with SG 6124/SG 6190 at 800-3000 mm centres. Wall fixed with SG Smart Fix at 800-3000 mm centres.

SV

Silent Gliss SG 6100 dusch/draperi system. Består av aluminiumprofil SG 6101 i specificerad längd i vitlack, alu natur eller angiven RAL färg. 14 st 11300 SILENT TRACK glid/SG 6145 glid m krok per meter. 2 SG 6065 vridstopp. Ändskydd SG 6611. Takmonteras med fäste SG 6124/SG 6190 c/c 800-3000 mm. Vägghmontering med SG Smart Fix c/c 800-3000 mm.

NO

Silent Gliss SG 6100 Dusj- og Cubiclesystem. Består av aluminiumprofil SG 6101 i spesifisert lengde. Hvitlakkert eller alu natur eller spesifisert RAL farge. 14 stk SG 11300 SILENT TRACK glider/SG 6145 glider m/krok pr meter. 2 stk SG6065 vridstopp. Endeløkk SG6611 Takmonteres med feste SG 6124/SG6190 c/c 800-3000mm. Veggmontering med SG Smart Fix c/c 800-1500 mm.

DA


Silent Gliss SG 6100 gardinskinnesystem til kabiner. Består af en aluminiumprofil SG 6101 i ønsket længde, sølvanodiseret eller hvid pulverlakering. 2 stop SG 6065. 2 endelåg SG 6611. Leveres med 14 stk. 2C glidere SG 11300/SG 6145 pr m. Loftmonteres med SG 6124/SG 6190 i afstande på 800-3000 mm. Vægmonteres med SG Smart Fix med en afstand på 800-3000 mm.

FITTING


A. FITTING INFORMATION

Fixing points

For detailed fitting information, visit the Silent Gliss website.




Dust cover




B. CEILING FITTING


Hanger SG 6190 / SG 6196



Or variant with SG 6196 double hanger.




SG 6190
Hanger




SG 6196
Double hanger


Mini hanger SG 6175




SG 6175
Mini hanger




Bracket SG 6124



SG 6124
Bracket




V-hanger




SG 6501:

V-hangers (25°-35°) provide additional lateral stability.




SG 6501

V-Hanger



SG 6530:

V-hangers (25°-35°) provide additional lateral stability.




SG 6530


V-Hanger

C. WALL FITTING


Smart Fix



Smart Fix with slot SG 11206 - SG 11208:
Screw SG 10492 (M4x8) needed.




Square Smart Fix with slot SG 11216 - SG 11218:
Screw SG 10492 (M4x8) needed.



Universal Smart Fix SG 11154 - SG 11156:
Screw SG 11131 (M4x6) needed.

Smart Fix	X mm
SG 11206 / SG 11216	33-51
SG 11207 / SG 11217	53-71
SG 11208 / SG 11218	73-91
SG 11154	102-130
SG 11155	132-160
SG 11156	182-210




SG 6117
Slot nut




SG 10492
Pan head screw M4x8




SG 11131
Pan head screw with flange
M4x6




SG 11206
Smart Fix with slot 60 mm




SG 11207
Smart Fix with slot 80 mm




SG 11208
Smart Fix with slot 100 mm




SG 11216
Square Smart Fix with slot 60 mm




SG 11217
Square Smart Fix with slot 80 mm




SG 11218
Square Smart Fix with slot
100 mm



SG 11154
Universal Smart Fix 120 mm





SG 11155
Universal Smart Fix 150 mm




SG 11156
Universal Smart Fix 200 mm

**Wall support SG 6610
& SG 6614**





SG 6610
Wall support




SG 6614
Wall bracket, metal

**D. PROFILE
JUNCTIONS**

**Connection bridges
SG 6123 & SG 6514**





SG 6123
Connection plate




SG 6514
T-Junction

**Connecting bridge
SG 6512**



Note: be sure to attach a sketch!




SG 6512


Connection bridge

SYSTEM OPTIONS


A. LAYOUT OPTIONS



A: Hanger rod
B: Wall support





A: Hanger rod
B: Wall support



A: Hanger rod
B: Wall support
C: V-hanger

B. WAVE






SG 11295

SG 11302

Standard components:

- SG 11295 End stop
- SG 11302 Wave 2C glider cord 80 mm



SG 2255


SG 2256

SG 6364

SG 6365

Optional components (min. radius >25 cm):


- SG 2255 Brake
- SG 2256 Brake
- SG 6364 Wave extension
- SG 6365 Wave hanger
- SG 6366 Wave carrier for draw rod
- SG 10430-34 Draw rod
- SG 11303 Wave 2C glider cord 60 mm



SG 6366

SG 10430-34

SG 11303



SG 3582

SG 6349

SG 6363


SG 10075

SG 10076

Curtain components:

- SG 3582 Hook
- SG 6349 Wave curtain tape
- SG 6363 Wave top hemming tape
- SG 10075 Lead weight 50 gr/m
- SG 10076 Fabric weight

Wave stack depth - 2C glider cord (standard components)



2C Glider cord SG 11302	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	180 per metre of track	90
80	7	~2.3	160	180 per metre of track	100

2C Glider cord SG 11303	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	230 per metre of track	70
60	5	~2.3	120	230 per metre of track	80

*Stack size B when using optional extension arm increases by 150 mm per curtain stack!


PARTS

A. STANDARD PARTS




SG 6065

End stop




SG 6086

Spring stop




SG 6101

Profile



SG 6124

Bracket



SG 6611


End cover



SG 11300


2C glider

B. OPTIONAL PARTS



SG 2255

Brake



SG 2256

Brake



SG 3582

Hook



SG 6053

Spring stop



SG 6094

Roller




SG 6098

Roller




SG 6110

Dust cover




SG 6112

Connection bridge




SG 6117

Slot nut



SG 6123

Connection plate



SG 6175

Mini hanger



SG 6190

Hanger



SG 6196

Double hanger



SG 6283

Roller




SG 6349

Wave curtain tape




SG 6363

Wave top hemming tape




SG 6364

Wave extension



SG 6365

Wave hanger



SG 6366

Wave carrier for draw rod



SG 6501

V-Hanger




SG 6512

Connection bridge




SG 6530

V-Hanger



SG 6610

Wall support




SG 6614

Wall bracket, metal




SG 10075

Lead weight 50 g/m




SG 10076

Fabric weight




SG 10430

Draw rod 50 cm



SG 10431

Draw rod 75 cm




SG 10432

Draw rod 100 cm




SG 10433

Draw rod 125 cm



SG 10434

Draw rod 150 cm




SG 10492

Pan head screw M4x8




SG 11131

Pan head screw with flange M4x6




SG 11154

Universal Smart Fix 120 mm




SG 11155

Universal Smart Fix 150 mm




SG 11156

Universal Smart Fix 200 mm




SG 11206

Smart Fix with slot 60 mm




SG 11207

Smart Fix with slot 80 mm




SG 11208

Smart Fix with slot 100 mm




SG 11216

Square Smart Fix with slot 60 mm




SG 11217

Square Smart Fix with slot 80 mm



SG 11218

Square Smart Fix with slot 100 mm




SG 11295

End stop




SG 11301

2C glider on strip



SG 11302



Wave 2C glider cord 80 mm



SG 11303

Wave 2C glider cord 60 mm

SG 6103



PRODUCT INFORMATION

- **Operation:** hand
- **Range:** S - L
- **Fitting:** suspended, ceiling, wall
- **Colours:** white RAL 9016 or anodised aluminum, special colours possible
- **Fabrics:** refer to Silent Gliss fabric collection


Features:

- Universal room divider
- 2-component (2C) glider technology
- Wave (2C)
- Suspended
- Versatile layouts
- Bendable

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information




SG 6103p

Profile

Radius:
✓ >25 cm

B. HOW TO MEASURE



A: System width

B: System height

C: Distance between floor and fabric

D: Distance between ceiling and system

C. SPECIFICATION

TEXT

EN

Silent Gliss SG 6103 Cubicle Curtain Track System. Comprises aluminium profile SG 6103 supplied made to measure in silver anodised or powder coated in white. 2 stops SG 6065. 2 End caps SG 6630. Supplied with 2C gliders SG 11300/SG 6145 with hooks at 14/m. Top fixed with SG 6124//SG 6190 at 800-3000 mm centres. Wall fixed with SG Smart Fix at 800-3000 mm centres.

SV

Silent Gliss SG 6103 dusch/draperi system. Består av aluminiumprofil SG 6103 i specificerad längd i vitlack, alu natur eller angiven RAL färg. 14 st 11300 SILENT TRACK glid/SG 6145 glid m krok per meter. 2 SG 6065 vridstopp. Ändskydd SG 6630. Takmonteras med fäste SG 6124/SG 6190 c/c 800-3000 mm. Vägmontering med SG Smart Fix c/c 800-3000 mm.

NO

Silent Gliss SG 6103 Dusj- og Cubiclesystem. Består av aluminiumprofil SG 6103 i spesifisert lengde. Hvitlakkert eller alu natur eller spesifisert RAL farge. 14 stk SG 11300 SILENT TRACK glider/SG 6145 glider m/krok pr meter. 2 stk SG6065 vridstopp. Endeløkk SG6630 Takmonteres med feste SG 6124/SG6190 c/c 800-3000 mm. Veggmontering med SG Smart Fix c/c 800-1500 mm.

DA


Silent Gliss SG 6103 gardinskinnesystem til kabiner. Består af en aluminiumprofil SG 6103 i ønsket længde, sølvanodiseret eller hvid pulverlakering. 2 stop SG 6065. 2 endelåg SG 6630. Leveres med 14 stk. 2C glidere SG 11300/SG 6145 pr m. Loftmonteres med SG 6124//SG 6190 i afstande på 800-3000 mm. Vægmonteres med SG Smart Fix med en afstand på 800-3000 mm.

FITTING


A. FITTING INFORMATION

Fixing points

For detailed fitting information, visit the Silent Gliss website.




Dust Cover




B. CEILING FITTING


Hanger SG 6190 / SG 6196



Or variant with SG 6196 double hanger.





SG 6190
Hanger





SG 6196
Double hanger

Mini hanger SG 6175




SG 6175
Mini hanger

Bracket SG 6124




SG 6124
Bracket

V-hanger




SG 6501:

V-hangers (25°-35°) provide additional lateral stability.




SG 6501

V-Hanger



SG 6530:

V-hangers (25°-35°) provide additional lateral stability.




SG 6530


V-Hanger

C. WALL FITTING


Smart Fix



Smart Fix with slot SG 11206 - SG 11208:
Screw SG 10492 (M4x8) needed.




Square Smart Fix with slot SG 11216 - SG 11218:
Screw SG 10492 (M4x8) needed.



Universal Smart Fix SG 11154 - SG 11156:
Screw SG 11131 (M4x6) needed.

Smart Fix	X mm
SG 11206 / SG 11216	33-51
SG 11207 / SG 11217	53-71
SG 11208 / SG 11218	73-91
SG 11154	102-130
SG 11155	132-160
SG 11156	182-210




SG 6117
Slot nut




SG 10492
Pan head screw M4x8




SG 11131
Pan head screw with flange
M4x6




SG 11206
Smart Fix with slot 60 mm




SG 11207
Smart Fix with slot 80 mm




SG 11208
Smart Fix with slot 100 mm




SG 11216
Square Smart Fix with slot 60
mm




SG 11217
Square Smart Fix with slot 80
mm




SG 11218
Square Smart Fix with slot
100 mm



SG 11154
Universal Smart Fix 120 mm





SG 11155
Universal Smart Fix 150 mm



SG 11156
Universal Smart Fix 200 mm


D. WALL SUPPORT

Bracket SG 6620




SG 6123

Connection plate



SG 6620

Wall bracket





SG 6631


Connection piece

E. PROFILE JUNCTIONS

Connection bridge SG 6521




Note: be sure to attach a sketch!




SG 6521

Connection bridge

Connection set SG 6635






SG 6635


Connection bridge set

SYSTEM OPTIONS


A. LAYOUT OPTIONS



A: Hanger rod
B: Wall support





A: Hanger rod
B: Wall support



A: Hanger rod
B: Wall support
C: V-hanger

B. WAVE






SG 11295

SG 11302

Standard components:

- SG 11295 End stop
- SG 11302 Wave 2C glider cord 80 mm



SG 2255


SG 2256

SG 6364

SG 6365

Optional components:


- SG 2255 Brake
- SG 2256 Brake
- SG 6364 Wave extension
- SG 6365 Wave hanger
- SG 6366 Wave carrier for draw rod
- SG 10430-34 Draw rod
- SG 11303 Wave 2C glider cord 60 mm



SG 6366

SG 10430-34

SG 11303



SG 3582

SG 6349

SG 6363


SG 10075

SG 10076

Curtain components:

- SG 3582 Hook
- SG 6349 Wave curtain tape
- SG 6363 Wave top hemming tape
- SG 10075 Lead weight 50 gr/m
- SG 10076 Fabric weight

Wave stack depth - 2C glider cord (standard components)



A = Stack depth
B = Stack size
C = Min. distance


2C Glider cord SG 11302	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	180 per metre of track	90
80	7	~2.3	160	180 per metre of track	100

2C Glider cord SG 11303	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	230 per metre of track	70
60	5	~2.3	120	230 per metre of track	80

*Stack size B when using optional extension arm increases by 150 mm per curtain stack!

PARTS

A. STANDARD PARTS




SG 6065
End stop




SG 6086
Spring stop




SG 6103p
Profile



SG 6124
Bracket




SG 6630
End cover




SG 11300
2C glider

B. OPTIONAL PARTS



SG 2255
Brake



SG 2256
Brake



SG 3582
Hook



SG 6053
Spring stop



SG 6094
Roller



SG 6098
Roller



SG 6110
Dust cover



SG 6117
Slot nut



SG 6123
Connection plate



SG 6125
Corner connection piece



SG 6175
Mini hanger



SG 6190
Hanger




SG 6196
Double hanger



SG 6283
Roller



SG 6349
Wave curtain tape




SG 6363
Wave top hemming tape



SG 6364
Wave extension



SG 6365
Wave hanger



SG 6366
Wave carrier for draw rod



SG 6501
V-Hanger



SG 6521
Connection bridge



SG 6530
V-Hanger



SG 6620
Wall bracket



SG 6631
Connection piece




SG 6635
Connection bridge set




SG 10075
Lead weight 50 g/m



SG 10076
Fabric weight




SG 10430
Draw rod 50 cm




SG 10431

Draw rod 75 cm




SG 10432

Draw rod 100 cm



SG 10433

Draw rod 125 cm




SG 10434

Draw rod 150 cm




SG 10492

Pan head screw M4x8




SG 11131

Pan head screw with flange M4x6




SG 11154

Universal Smart Fix 120 mm




SG 11155

Universal Smart Fix 150 mm




SG 11156

Universal Smart Fix 200 mm




SG 11206

Smart Fix with slot 60 mm



SG 11207

Smart Fix with slot 80 mm




SG 11208

Smart Fix with slot 100 mm




SG 11216

Square Smart Fix with slot 60 mm




SG 11217

Square Smart Fix with slot 80 mm



SG 11218

Square Smart Fix with slot 100 mm




SG 11295

End stop




SG 11301

2C glider on strip



SG 11302

Wave 2C glider cord 80 mm



SG 11303

Wave 2C glider cord 60 mm

The Architects of Silence

Silent Gliss is the leading global supplier of premium interior window treatments. Since 1952 we have been tirelessly committed to the development of the worlds` smoothest, quietest systems using state of the art technology.

Driven by customer needs, Silent Gliss offers functional and durable products. Expert technical advice coupled with installation and support services complete the offer. Silent Gliss stands for innovative, sustainable, tailor made solutions, exceptional design and first-class quality.

Silent Gliss Nordic AB

Travbanegatan 9
213 77 Malmö
Sweden
T +46 40 55 52 50
info@silentgliss.se

Byggdøy Allé 111A
0273 Oslo
Norway
T +47 24 11 80 60
info@silentgliss.no

Denmark
T +45 36 77 67 00
info@silentgliss.dk

silentgliss.se
silentgliss.no
silentgliss.dk