


HAND OPERATED CURTAIN TRACK SYSTEMS



GENERAL NOTES

Dimensions

- Measurements are in mm except where indicated.
- Max. kg relates to fabric incl. accessories.
- Stack size depends on curtain make-up and fabric thickness.
- Distance between gliders max. 80 mm / distance between rollers max. 100 mm.
- Recommended distance floor / fabric: 20 mm.
- In order to determine system height (B), the smallest room height must be taken into account.







































Fitting
















- Installation by qualified fitter only.
- Number of brackets and fitting positions / fixing points vary depending on fitting surface, system weight, fabric make-up, screw / fixing type and obstacles.
- Qualified fitter must use appropriate screws / fixings for each situation.
- Profile lip if applicable to be installed to room side.

Child Safety



- All relevant Silent Gliss systems correspond to child safety EN 13120.
- All parties involved must comply with EN 13120.

APPLICATION CHART

| <u>PAGE</u> | <u>SYSTEM</u> | <u>OPERATION</u> | <u>DIMENSION</u> | <u>DESIGN</u> | <u>WAVE</u> | kg _{max.} |
|-------------|----------------|---|------------------|---|---|--------------------|
| 5 | SG 1011 |  | S |  | | |
| 9 | SG 1012 |  | S |  | | |
| 15 | SG 1015 |  | S |  | | |
| 21 | SG 1020 |  | S |  | | 10 kg |
| 27 | SG 1060 |  | S |  | | |
| 31 | SG 1070 |  | S |  | | |
| 35 | SG 1080 |  | S |  | | |
| 43 | SG 1090 |  | S |  | | |
| 51 | SG 3600 |  | |  | | 10 kg |
| 57 | SG 6010 |  | S - M |  |  | |
| 65 | SG 6243 |  | S - M |  |  | |
| 71 | SG 6250 |  | S - M |  |  | |
| 77 | SG 6293 |  | M - L |  | | |
| 81 | SG 6380 |  | M - L |  |  | |
| 89 | SG 6465 |  | S - M |  |  | |
| 97 | SG 6475 |  | S - M |  |  | |

| <u>PAGE</u> | <u>SYSTEM</u> | <u>OPERATION</u> | <u>DIMENSION</u> | <u>DESIGN</u> | <u>WAVE</u> | kg _{max.} |
|-------------|----------------|---|------------------|---|---|--------------------|
| 103 | SG 6815 |  | S - M |  |  | |
| 111 | SG 6820 |  | S - M |  |  | 10 kg |
| 119 | SG 6840 |  | M - L |  |  | |
| 129 | SG 6870 |  | M - L |  |  | |
| 139 | SG 6970 |  | M - L |  |  | |

SG 1011



PRODUCT INFORMATION

- **Operation:** hand
- **Range:** S
- **Fitting:** recess (center SG 7550)
- **Colours:** white RAL 9016 or anodised aluminum, special colours possible
- **Fabrics:** refer to Silent Gliss fabric collection


Features:

- Pre-drilled profile
- Bendable

SYSTEM SPECIFICATIONS


A. PROFILE

Profile and bending information




SG 1011p

Profile



B. HOW TO MEASURE



A: System width

B: System height

C: Distance between floor and fabric

C. SPECIFICATION

TEXT

EN

Silent Gliss SG 1011 Hand Drawn Curtain Track System for recessed fitting. Comprises aluminium profile SG1011 supplied made to measure in silver anodised or white powder coated, alternatively a specified RAL colour. SG 3533 at 14/m and 2 end stops SG 3070/SG 3085 Spring stops per length. Top fixed directly to ceiling with screws at 120 mm centres SG3019/3025.

SV

Silent Gliss SG 1011 handdragssystem för infällning. Består av aluminiumprofil SG 1011 i specificerad längd i vitlack, alu natur eller angiven RAL färg. 14 st SG 3533 glid per meter, 2 st SG 3070 vridstopp/SG 3085 fjäder per system. Skruvas direkt i tak m skruv SG 3019/SG 3025 c/c 120 mm.

NO

Silent Gliss SG 1011 gardinskinner for innfelling. Består av aluminiumprofil SG 1011 i spesifisert lengde, standard i hvitlakkert eller alu natur. Kan også leveres i ønsket RAL farg. 14 stk SG 3533 glidere pr meter, 2 st SG 3070 vristopp/SG 3085 fjær pr system. Skrus direkte i taket med skrue SG 3019/SG 3025 c/c 120 mm.

DA


Silent Gliss SG 1011 håndtrukket gardinskinnesystem til indfældning. Består af en aluminiumprofil SG1011 i ønsket længde, sølvanodiseret eller hvid pulverlakering, alternativt en specificeret RAL-farve. 14 stk. SG 3533 pr. m og 2 stk. SG 3070 endestop eller SG 3085 fjeder pr. længde. Fastgøres direkte i loftet med skruer SG3019/3025 med højst 120 mm afstand.

FITTING


A. FITTING INFORMATION

For detailed fitting information, visit the *Silent Gliss* website.

Fixing points




Profile Protector



A: Profile Protector SG 7002
B: Special screw SG 3019 / 12 mm
C: Special screw SG 3025 / 18 mm

B. RECESS FITTING







Direct into wood



























Recess channel: 6 x 9 mm

PARTS


A. STANDARD PARTS

| | |
|---|---------------------------------------|
|  | SG 1011p Profile |
|  | SG 3019 Special screw 12 mm |
|  | SG 3070 End stop |
|  | SG 3085 Spring stop |
|  | SG 3533 Glider |
|  | SG 3599 Hook |

B. OPTIONAL PARTS

| | | | |
|---|--|---|-------------------------------------|
|  | SG 3012 Hook |  | SG 3571 Hook |
|  | SG 3016 End stop |  | SG 3582 Hook |
|  | SG 3020 Hook |  | SG 3598 Eyelet |
|  | SG 3025 Special screw 18 mm |  | SG 7002 Profile protector |
|  | SG 3032 Spring stop |  | SG 10430 Draw rod 50 cm |
|  | SG 3063 Connection bridge |  | SG 10431 Draw rod 75 cm |
|  | SG 3071 End stop |  | SG 10432 Draw rod 100 cm |
|  | SG 3511 Glider |  | SG 10433 Draw rod 125 cm |
|  | SG 3534 Glider 3533 on strip |  | SG 10434 Draw rod 150 cm |
|  | SG 3535 Glider |  | SG 11335 End stop |
|  | SG 3537 Glider | | |
|  | SG 3548 Glider | | |
|  | SG 3549 Click glider with hook | | |
|  | SG 3570 Glider | | |

SG 1012



PRODUCT INFORMATION

- **Operation:** hand
- **Range:** S
- **Fitting:** recess (center SG 7550)
- **Colours:** white RAL 9016 or anodised aluminum, special colours possible
- **Fabrics:** refer to Silent Gliss fabric collection


Features:

- Pre-drilled profile
- Bendable

SYSTEM SPECIFICATIONS


A. PROFILE

Profile and bending information




SG 1012p

Profile



B. HOW TO MEASURE



A: System width

B: System height

C: Distance between floor and fabric

C. SPECIFICATION

TEXT

EN

Silent Gliss SG 1012 Hand Drawn Curtain Track System. Comprises aluminium profile SG 1012 supplied made to measure in silver anodised or white powder coated, alternatively a specified RAL colour. SG 3533 at 14/m and 2 end covers SG 3512/ end stops SG 3070/SG 3085 Spring stops per length. Top fixed with brackets SG 3112/3121 at max. 120 mm centres. Or directly to ceiling with screws SG 3019/3025.

SV

Silent Gliss SG 1012 handdragssystem. Består av aluminiumprofil SG 1012 i specificerad längd i vitlack, alu natur eller angiven RAL färg. 14 st SG 3533 glid per meter, 2 st SG 3512 ändskydd samt 2 st SG 3070 vridstopp/SG 3085 fjäder per system. Takmonteras med fäste SG 3112/3121 c/c 120 mm. Alternativt skruvas direkt i tak m skruv SG 3019/SG 3025.

NO

Silent Gliss SG 1012 manuell gardinskinne. Består av aluminiumprofil SG 1012 i spesifisert lengde, standard i hvitlakkert eller alu natur. Kan også leveres i spesifisert RAL farge. 14 stk SG 3533 glidere pr meter, 2 stk SG 3070 vridstopp/SG 3085 fjær pr system. Takmonteres med feste SG3112/3121 c/c 120 mm. Alternativt skrues skinnen direkte i taket med skruer SG 3019/SG 3025.

DA


Silent Gliss SG 1012 håndtrukket gardinskinnesystem. Består af en aluminiumprofil SG 1012 i ønsket længde, sølvanodiseret eller hvid pulverlakering, alternativt en specificeret RAL-farve. 14 stk. SG 3533 pr. m og 2 stk. SG 3512 endelåg eller SG 3070/SG 3085 fjeder pr. længde. Loftmonteres med beslagene SG 3112/3121 med højst 120 mm afstand. Eller direkte i loftet med skruer SG3019/3025.

FITTING


A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points




Profile Protector





A: Profile Protector SG 7002
B: Special Screw SG 3019 / 12 mm
C: Special Screw SG 3025 / 18 mm

B. CEILING FITTING

Direct into wood





Bracket SG 3112



SG 3112
Bracket






Bracket SG 3121





























SG 3121
Bracket

PARTS



A. STANDARD PARTS

| | |
|---|---------------------------------------|
|  | SG 1012p Profile |
|  | SG 3019 Special screw 12 mm |
|  | SG 3070 End stop |
|  | SG 3085 Spring stop |
|  | SG 3533 Glider |

B. OPTIONAL PARTS

| | | | |
|---|--|---|-------------------------------------|
|  | SG 3016 End stop |  | SG 3570 Glider |
|  | SG 3020 Hook |  | SG 3571 Hook |
|  | SG 3025 Special screw 18 mm |  | SG 3582 Hook |
|  | SG 3032 Spring stop |  | SG 3598 Eyelet |
|  | SG 3064 Connecting bridge |  | SG 3599 Hook |
|  | SG 3071 End stop |  | SG 7002 Profile protector |
|  | SG 3112 Bracket |  | SG 10430 Draw rod 50 cm |
|  | SG 3511 Glider |  | SG 10431 Draw rod 75 cm |
|  | SG 3512 End cover |  | SG 10432 Draw rod 100 cm |
|  | SG 3534 Glider 3533 on strip |  | SG 10433 Draw rod 125 cm |
|  | SG 3535 Glider |  | SG 10434 Draw rod 150 cm |
|  | SG 3537 Glider |  | SG 11335 End stop |
|  | SG 3548 Glider | | |
|  | SG 3549 Click glider with hook | | |

SG 1015



PRODUCT INFORMATION

- **Operation:** hand
- **Range:** S
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016 or anodised aluminum, special colours possible
- **Fabrics:** refer to Silent Gliss fabric collection


Features:

- Bendable

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information




SG 1003p

Profile

Radius:
✓ 15 cm, 20 cm, >25 cm

B. HOW TO MEASURE



A: System width

B: System height

C: Distance between floor and fabric

C. SPECIFICATION TEXT

EN

Silent Gliss SG 1015 Hand Drawn Curtain Track System. Comprises aluminium profile SG 1003 supplied made to measure in silver anodised or white powder coated, alternatively a specified RAL colour. SG 3533 at 14/m and 2 end covers SG 3014/ end stops SG 3070 per length. Top fixed with brackets SG 6175 at max. 800 mm centres / wall fix SG Smart Fix at max. 800 mm centres.

SV

Silent Gliss SG 1015 handdragssystem. Består av aluminiumprofil SG 1003 i specificerad längd i vitlack, alu natur eller angiven RAL färg. 14 st SG 3533 glid per meter, 2 st SG 3014 ändskydd samt 2 st SG 3070 vridstopp per system. Takmonteras med fäste SG 6124 /SG 6175 c/c 800 mm. Vägghmontering med Smart Fix c/c 800 mm.

NO

Silent Gliss SG 1015 manuell gardinskinne. Består av aluminiumprofil SG 1003 i spesifisert lengde, standard hvitlakkert eller alu natur. Kan også leveres i spesifisert RAL farge. 14 stk SG 3533 glidere pr meter, 2 stk SG 3070 vrilstopp pr system. Takmonteres med feste SG 6175 c/c 800 mm. Veggmontering med Smart Fix c/c 800mm.


DA

Silent Gliss SG 1015 håndtrukket gardinskinnesystem. Består af en aluminiumprofil SG 1003 i ønsket længde, sølvanodiseret eller hvid pulverlakering, alternativt en specificeret RAL-farve. 14 stk. SG 3533 glidere pr. m og 2 stk. endelåg SG 3014 samt 2 stk. SG 3070 endestop pr. længde. Loftmonteres med beslagene SG 6175 med højst 800 mmafstand. Vægmonteres med SG Smart Fix med højst 800 mm afstand.

FITTING


A. FITTING INFORMATION

Fixing points




For detailed fitting information, visit the Silent Gliss website.


B. CEILING FITTING




Mini hanger SG 6175



Bracket SG 6124




SG 6175
Mini hanger



SG 6124
Bracket


C. WALL FITTING

Smart Fix




Smart Fix with slot SG 11206 - SG 11208:
Screw SG 10492 (M4x8) needed.

| Smart Fix | X mm |
|---------------------|---------|
| SG 11206 / SG 11216 | 33-51 |
| SG 11207 / SG 11217 | 53-71 |
| SG 11208 / SG 11218 | 73-91 |
| SG 11154 | 102-130 |
| SG 11155 | 132-160 |
| SG 11156 | 182-210 |




Square Smart Fix with slot SG 11216 - SG 11218:

Screw SG 10492 (M4x8) needed.



Universal Smart Fix SG 11154 - SG 11156:

Screw SG 11131 (M4x6) needed.



SG 6117

Slot nut




SG 10492

Pan head screw M4x8




SG 11131

Pan head screw with flange M4x6




SG 11206

Smart Fix with slot 60 mm




SG 11207

Smart Fix with slot 80 mm




SG 11208

Smart Fix with slot 100 mm




SG 11216

Square Smart Fix with slot 60 mm




SG 11217

Square Smart Fix with slot 80 mm




SG 11218

Square Smart Fix with slot 100 mm




SG 11154

Universal Smart Fix 120 mm



SG 11155

Universal Smart Fix 150 mm










SG 11156















Universal Smart Fix 200 mm















PARTS


A. STANDARD PARTS

| | |
|---|-------------------------------|
|  | SG 1003p Profile |
|  | SG 3014 End cover |
|  | SG 3070 End stop |
|  | SG 3085 Spring stop |
|  | SG 3533 Glider |
|  | SG 3599 Hook |
|  | SG 6124 Bracket |

B. OPTIONAL PARTS


| | |
|---|--|
|  | SG 3012 Hook |
|  | SG 3511 Glider |
|  | SG 3534 Glider 3533 on strip |
|  | SG 3535 Glider |
|  | SG 3537 Glider |
|  | SG 3548 Glider |
|  | SG 3549 Click glider with hook |
|  | SG 3570 Glider |
|  | SG 3581 Hook |
|  | SG 3582 Hook |
|  | SG 3598 Eyelet |
|  | SG 6117 Slot nut |
|  | SG 6173 Connection bridge |
|  | SG 6175 Mini hanger |

| | |
|---|---|
|  | SG 10430 Draw rod 50 cm |
|  | SG 10431 Draw rod 75 cm |
|  | SG 10432 Draw rod 100 cm |
|  | SG 10433 Draw rod 125 cm |
|  | SG 10434 Draw rod 150 cm |
|  | SG 10492 Pan head screw M4x8 |
|  | SG 11131 Pan head screw with flange M4x6 |
|  | SG 11154 Universal Smart Fix 120 mm |
|  | SG 11155 Universal Smart Fix 150 mm |
|  | SG 11156 Universal Smart Fix 200 mm |
|  | SG 11206 Smart Fix with slot 60 mm |
|  | SG 11207 Smart Fix with slot 80 mm |
|  | SG 11208 Smart Fix with slot 100 mm |
|  | SG 11216 Square Smart Fix with slot 60 mm |




SG 11217

Square Smart Fix with slot 80 mm



SG 11218



Square Smart Fix with slot 100 mm



SG 11335

End stop

SG 1020



PRODUCT INFORMATION

- **Operation:** hand
- **Range:** S
- **Fitting:** ceiling
- **Colours:** white RAL 9016 or anodised aluminum, special colours possible
- **Fabrics:** refer to Silent Gliss fabric collection

Features:

- Symmetrical Funnel design
- Bendable

SYSTEM SPECIFICATIONS


A. SYSTEM DIMENSIONS



10 kg

B. PROFILE

Profile and bending information




SG 6822

Profile Funnel

Radius: >27 cm

C. HOW TO MEASURE



A: System width

B: System height

C: Distance between floor and fabric

D. SPECIFICATION

TEXT

EN

Silent Gliss SG 1020 Hand Drawn Curtain Track System. Comprises aluminium profile SG 6822 supplied made to measure in silver anodised or white powder coated, alternatively a specified RAL colour. SG 3533 at 14/m and 2 end covers SG 6824 / end stops SG 3070 per length. Top fixed with bracket SG 11236 at max. 500 mm centres.

SV

Silent Gliss SG 1020 handdragssystem. Består av aluminiumprofil SG 6822 i specificerad längd i vitlack, alu natur eller angiven RAL färg. 14 st SG 3533 glid per meter, 2 st SG 6824 ändskydd samt 2 st SG 3070 vridstopp per system. Takmonteras med fäste SG 11236 c/c 500 mm.

NO

Silent Gliss SG 1020 manuell gardinskinne. Består av aluminiumprofil SG 6822 i spesifisert lengde, standard i hvitlakkert eller alu natur. Kan også leveres i spesifisert RAL farge. 14 stk SG 3533 glidere pr meter, 2 stk SG 6824 endestykker samt 2 stk SG 3070 vristopp pr system. Takmonteres med feste SG 11236 c/c 500 mm.

DA


Silent Gliss SG 1020 håndtrukket gardinskinnesystem. Består af en aluminiumprofil SG 6822 i ønsket længde, sølvanodiseret eller hvid pulverlakering, alternativt en specificeret RAL-farve. 14 stk. SG 3533 glidere pr. m og 2 stk. SG 6824 endelåg samt 2 stk. SG 3070 endestop pr. længde. Loftmonteres med beslag SG 11236 med højst 500 mm afstand.

FITTING


A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points



Fitting Tool





A: Funnel fitting tool SG 6827

For fitting / removing of the funnel profile.

B. CEILING FITTING

Clip SG 11236












SG 11236









Clip







PARTS

A. STANDARD PARTS



| | |
|---|----------------------------------|
|  | SG 3070 End stop |
|  | SG 3085 Spring stop |
|  | SG 3533 Glider |
|  | SG 3599 Hook |
|  | SG 6822 Profile Funnel |
|  | SG 6824 End cover |
|  | SG 11236 Clip |

B. OPTIONAL PARTS

| | |
|---|--|
|  | SG 3012 Hook |
|  | SG 3016 End stop |
|  | SG 3062 Connection bridge |
|  | SG 3071 End stop |
|  | SG 3511 Glider |
|  | SG 3534 Glider 3533 on strip |
|  | SG 3535 Glider |
|  | SG 3537 Glider |
|  | SG 3548 Glider |
|  | SG 3549 Click glider with hook |
|  | SG 3555 Hook |
|  | SG 3570 Glider |
|  | SG 3582 Hook |
|  | SG 3598 Eyelet |

| | |
|--|------------------------------------|
|  | SG 10430 Draw rod 50 cm |
|  | SG 10431 Draw rod 75 cm |
|  | SG 10432 Draw rod 100 cm |
|  | SG 10433 Draw rod 125 cm |
|  | SG 10434 Draw rod 150 cm |
|  | SG 11335 End stop |

SG 1060



PRODUCT INFORMATION

- **Operation:** hand
- **Range:** S
- **Fitting:** ceiling
- **Colours:** white RAL 9016 or anodised aluminum, special colours possible
- **Fabrics:** refer to Silent Gliss fabric collection


Features:

- Bendable

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information




SG 1060p

Profile

Radius:
✓ 6 cm, 10 cm, 12 cm,
20 cm, >30 cm

B. HOW TO MEASURE



A: System width

B: System height

C: Distance between floor and fabric

C. SPECIFICATION

TEXT

EN

Silent Gliss SG 1060 Hand Drawn Curtain Track System. Comprises aluminium profile SG1060 supplied made to measure in silver anodised or white powder coated, alternatively a specified RAL colour. SG 3533 at 14/m and 2 end covers SG 3061/ end stops SG 3070 per length. Top fixed with brackets SG 3060 at max. 300 mm centres.

SV

Silent Gliss SG 1060 handdragssystem. Består av aluminiumprofil SG 1060 i specificerad längd i vitlack, alu natur eller angiven RAL färg. 14 st SG 3533 glid per meter, 2 st SG 3061 ändskydd samt 2 st SG 3070 vridstopp per system. Takmonteras med fäste SG 3060 c/c 300 mm.

NO

Silent Gliss SG 1060 manuell gardinskinne. Består av aluminiumprofil SG 1060 i spesifisert lengde, standard i hvitlakkert eller alu natur. Kan også leveres i spesifisert RAL farge. 14 stk SG 3533 glidere pr meter, 2 stk SG 3061 endeløkk samt 2 stk SG 3070 vridstopp pr system. Takmonteres med feste SG 3060 c/c 300 mm.

DA


Silent Gliss SG 1060 håndtrukket gardinskinnesystem. Består af en aluminiumprofil SG1060 i ønsket længde, sølvanodiseret eller hvid pulverlakering, alternativt en specificeret RAL-farve. 14 stk. SG 3533 glidere pr. m og 2 stk. endelåg SG 3061 samt 2 stk. SG 3070 endestop pr. længde. Loftmonteres med beslagene SG 3060 med højst 300 mm afstand.

FITTING

A. FITTING INFORMATION



For detailed fitting information, visit the *Silent Gliss* website.

Fixing points



B. CEILING FITTING








Clamp SG 3060

















SG 3060
Clamp






PARTS

A. STANDARD PARTS



| | |
|--|-------------------------------|
|  | SG 1060p Profile |
|  | SG 3060 Clamp |
|  | SG 3061 End cover |
|  | SG 3070 End stop |
|  | SG 3085 Spring stop |
|  | SG 3533 Glider |
|  | SG 3599 Hook |

B. OPTIONAL PARTS

| | |
|---|--|
|  | SG 3012 Hook |
|  | SG 3016 End stop |
|  | SG 3060 Clamp |
|  | SG 3062 Connection bridge |
|  | SG 3511 Glider |
|  | SG 3534 Glider 3533 on strip |
|  | SG 3535 Glider |
|  | SG 3537 Glider |
|  | SG 3548 Glider |
|  | SG 3549 Click glider with hook |
|  | SG 3570 Glider |
|  | SG 3582 Hook |
|  | SG 3598 Eyelet |
|  | SG 10430 Draw rod 50 cm |

| | |
|---|------------------------------------|
|  | SG 10431 Draw rod 75 cm |
|  | SG 10432 Draw rod 100 cm |
|  | SG 10433 Draw rod 125 cm |
|  | SG 10434 Draw rod 150 cm |
|  | SG 11335 End stop |

SG 1070



PRODUCT INFORMATION

- **Operation:** hand
- **Range:** S
- **Fitting:** ceiling
- **Colours:** white RAL 9016 or anodised aluminum, special colours possible
- **Fabrics:** refer to Silent Gliss fabric collection


Features:

- Bendable

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information




SG 1071

Profile 1071

Radius:
8 cm, 12 cm, 16 cm,
>25 cm

B. HOW TO MEASURE



A: System width
B: System height
C: Distance between floor and fabric

C. SPECIFICATION TEXT

EN

Silent Gliss SG 1070 Hand Drawn Curtain Track System. Comprises aluminium profile SG1071 supplied made to measure in silver anodised or white powder coated, alternatively a specified RAL colour. SG 3533 at 14/m and 2 end covers SG 1072/ end stops SG 3070 per length. Top fixed with brackets SG 3060 at max. 300 mm centres.

SV

Silent Gliss SG 1070 handdragssystem. Består av aluminiumprofil SG 1071 i specificerad längd i vitlack, alu natur eller angiven RAL färg. 14 st SG 3533 glid per meter, 2 st SG 1072 ändskydd samt 2 st SG 3070 vridstopp per system. Takmonteras med fäste SG 3060 c/c 300 mm.

NO

Silent Gliss SG 1070 manuell gardinskinne. Består av aluminiumprofil SG 1071 i spesifisert lengde, standard i hvitlakkert eller alu natur. Kan også leveres i spesifisert RAL farge. 14 stk SG 3533 glidere pr meter, 2 stk SG 1072 endestykker samt 2 stk SG 3070 vristopp pr system. Takmonteres med feste SG 3060 c/c 300 mm.

DA


Silent Gliss SG 1070 håndtrukket gardinskinnesystem. Består af en aluminiumprofil SG1071 i ønsket længde, sølvanodiseret eller hvid pulverlakering, alternativt en specificeret RAL-farve. 14 stk. SG 3533 glidere pr. m og 2 stk. endelåg SG 1072 samt 2 stk. SG 3070 endestop pr. længde. Loftmonteres med beslagene SG 3060 med højst 300 mm afstand.

FITTING

A. FITTING INFORMATION



For detailed fitting information, visit the *Silent Gliss* website.

Fixing points



B. CEILING FITTING








Clamp SG 3060
















SG 3060
Clamp



PARTS

A. STANDARD PARTS



| | |
|--|--------------------------------|
|  | SG 1071 Profile 1071 |
|  | SG 1072 End cover |
|  | SG 3060 Clamp |
|  | SG 3070 End stop |
|  | SG 3085 Spring stop |
|  | SG 3533 Glider |
|  | SG 3599 Hook |

B. OPTIONAL PARTS

| | |
|---|--|
|  | SG 3012 Hook |
|  | SG 3062 Connection bridge |
|  | SG 3511 Glider |
|  | SG 3534 Glider 3533 on strip |
|  | SG 3535 Glider |
|  | SG 3537 Glider |
|  | SG 3548 Glider |
|  | SG 3549 Click glider with hook |
|  | SG 3570 Glider |
|  | SG 3582 Hook |
|  | SG 10430 Draw rod 50 cm |
|  | SG 10431 Draw rod 75 cm |
|  | SG 10432 Draw rod 100 cm |
|  | SG 10433 Draw rod 125 cm |

| | |
|---|------------------------------------|
|  | SG 10434 Draw rod 150 cm |
|  | SG 11335 End stop |

SG 1080



PRODUCT INFORMATION

- **Operation:** hand
- **Range:** S
- **Fitting:** ceiling, wall, suspended
- **Colours:** white RAL 9016, black RAL 9005 or anodised aluminum, special colours possible
- **Fabrics:** refer to Silent Gliss fabric collection


Features:

- Bendable

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information




SG 1080p

Profile

Radius:
✓ 6 cm, 10 cm, >30 cm

B. HOW TO MEASURE



A: System width

B: System height

C: Distance between floor and fabric

C. SPECIFICATION

TEXT

EN

Silent Gliss SG 1080 Hand Drawn Curtain Track System. Comprises aluminium profile SG1080 supplied made to measure in silver anodised or white powder coated, alternatively a specified RAL colour. SG 3533 at 14/m and 2 end covers SG 3605/ end stops SG 3070 per length. Top fixed with brackets SG 3603 at max. 600 mm centres / wall fix SG Smart Fix at max. 600 mm centres.

SV

Silent Gliss SG 1080 handdragssystem. Består av aluminiumprofil SG 1080 i specificerad längd i vitlack, alu natur eller angiven RAL färg. 14 st SG 3533 glid per meter, 2 st SG 3605 ändskydd samt 2 st SG 3070 vridstopp per system. Takmonteras med fäste SG 3603 c/c 600 mm. Vägghäring med Smart Fix c/c 600 mm.

NO

Silent Gliss SG 1080 manuelle gardinskiner. Systemet består av SG 1080 i ønsket legde, hvit, alu natur eller i valgfri RAL farge. 14 stk glidere SG 3533 pr. meter, 2 stk endeløkk SG 3605 og 2 stk vristopp SG 3070 pr system. Takmontering med feste SG 3603 c/c 600 mm. Veggmontering med Smart Fix c/c 600 mm.

DA


Silent Gliss SG 1080 håndtrukket gardinskinnesystem. Består af en aluminiumprofil SG 1080 i ønsket længde, sølvanodiseret eller hvid pulverlakering, alternativt en specificeret RAL-farve. 14 stk. SG 3533 glidere pr. m og 2 stk. endelåg SG 3605 samt 2 stk. SG 3070 endestop pr. længde. Loftmonteres med beslagene SG 3603 med højst 600 mm afstand. Vægmonteres med SG Smart Fix med højst 600 mm afstand

FITTING

A. FITTING INFORMATION



For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. CEILING FITTING


Bracket SG 3603




SG 3603
Bracket

C. WALL FITTING

Smart Fix




Smart Fix SG 11200 - SG 11205 and bracket SG 3603:
Screw SG 10492 (M4x8) needed.




Square Smart Fix SG 11210 - SG 11215 and bracket SG 3603:
Screw SG 10492 (M4x8) needed.

| Smart Fix | X mm |
|---------------------|---------|
| SG 11200 / SG 11210 | 70 |
| SG 11201 / SG 11211 | 90 |
| SG 11202 / SG 11212 | 110 |
| SG 11203 / SG 11213 | 130 |
| SG 11204 / SG 11214 | 160 |
| SG 11205 / SG 11215 | 210 |
| SG 11154 | 120-148 |
| SG 11155 | 150-178 |
| SG 11156 | 200-228 |



**Universal Smart Fix SG 11154 - SG 11156 and bracket
SG 3603:**

Screw SG 10277 (M4x12) needed.



SG 3603

Bracket




SG 10492

Pan head screw M4x8




SG 10277

Pan head screw M4x12




SG 11200

Smart Fix 60 mm




SG 11201

Smart Fix 80 mm




SG 11202

Smart Fix 100 mm




SG 11203

Smart Fix 120 mm




SG 11204

Smart Fix 150 mm




SG 11205

Smart Fix 200 mm




SG 11210

Square Smart Fix 60 mm




SG 11211

Square Smart Fix 80 mm




SG 11212

Square Smart Fix 100 mm




SG 11213

Square Smart Fix 120 mm




SG 11214

Square Smart Fix 150 mm




SG 11215

Square Smart Fix 200 mm




SG 11154

Universal Smart Fix 120 mm



SG 11155


Universal Smart Fix 150 mm




SG 11156

Universal Smart Fix 200 mm


**Universal brackets
SG 3630, SG 3655,
SG 3660**




| Bracket | X mm |
|----------------|-------------|
| SG 3630 | 33 |
| SG 3655 | 48 |
| SG 3660 | 63 |



SG 3630
Bracket 35 mm





SG 3655
Bracket 50 mm




SG 3660
Bracket 65 mm

**D. SUSPENDED
FITTING**


**Hanger SG 3639 /
SG 3610 & wall
support SG 3602**



SG 3602
Wall support



SG 3639
Hanger































SG 3610
Hanger





























PARTS

A. STANDARD PARTS



| | |
|--|-------------------------------|
|  | SG 1080p Profile |
|  | SG 3070 End stop |
|  | SG 3085 Spring stop |
|  | SG 3533 Glider |
|  | SG 3599 Hook |
|  | SG 3603 Bracket |
|  | SG 3605 End cover |

B. OPTIONAL PARTS

| | | | |
|---|--|---|-------------------------------------|
|  | SG 3012 Hook |  | SG 3570 Glider |
|  | SG 3016 End stop |  | SG 3571 Hook |
|  | SG 3020 Hook |  | SG 3581 Hook |
|  | SG 3032 Spring stop |  | SG 3582 Hook |
|  | SG 3071 End stop |  | SG 3598 Eyelet |
|  | SG 3089 Glider with hook |  | SG 3602 Wall support |
|  | SG 3151 Spacer |  | SG 3604 Corner connector |
|  | SG 3511 Glider |  | SG 3610 Hanger |
|  | SG 3534 Glider 3533 on strip |  | SG 3618 Wall bracket |
|  | SG 3535 Glider |  | SG 3620 Connection bridge |
|  | SG 3537 Glider |  | SG 3626 Return holder |
|  | SG 3548 Glider |  | SG 3630 Bracket 35 mm |
|  | SG 3549 Click glider with hook |  | SG 3638 Corner connector |
|  | SG 3555 Hook |  | SG 3639 Hanger |

| | | | |
|---|--|---|--|
|  | SG 3648 Eyelet |  | SG 1156 Universal Smart Fix 200 mm |
|  | SG 3655 Bracket 50 mm |  | SG 11200 Smart Fix 60 mm |
|  | SG 3660 Bracket 65 mm |  | SG 11201 Smart Fix 80 mm |
|  | SG 3667 End cover |  | SG 11202 Smart Fix 100 mm |
|  | SG 6146 Hook |  | SG 11203 Smart Fix 120 mm |
|  | SG 10277 Pan head screw M4x12 |  | SG 11204 Smart Fix 150 mm |
|  | SG 10430 Draw rod 50 cm |  | SG 11205 Smart Fix 200 mm |
|  | SG 10431 Draw rod 75 cm |  | SG 11210 Square Smart Fix 60 mm |
|  | SG 10432 Draw rod 100 cm |  | SG 11211 Square Smart Fix 80 mm |
|  | SG 10433 Draw rod 125 cm |  | SG 11212 Square Smart Fix 100 mm |
|  | SG 10434 Draw rod 150 cm |  | SG 11213 Square Smart Fix 120 mm |
|  | SG 10492 Pan head screw M4x8 |  | SG 11214 Square Smart Fix 150 mm |
|  | SG 1154 Universal Smart Fix 120 mm |  | SG 11215 Square Smart Fix 200 mm |
|  | SG 1155 Universal Smart Fix 150 mm |  | SG 11335 End stop |

SG 1090



PRODUCT INFORMATION

- **Operation:** hand
- **Range:** S
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016 or anodised aluminum, special colours possible
- **Fabrics:** refer to Silent Gliss fabric collection


Features:

- Bendable

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information




SG 1090p

Profile

Radius:
✓ 6 cm, 10 cm

B. HOW TO MEASURE



A: System width

B: System height

C: Distance between floor and fabric

C. SPECIFICATION

TEXT

EN

Silent Gliss SG 1090 Hand Drawn Curtain Track System. Comprises aluminium profile SG1090 supplied made to measure in silver anodised or white powder coated, alternatively a specified RAL colour. SG 3533 at 14/m and 2 end stops SG 3070 per length. Top fix with SG 3176/3113/ 3115. Wall fix with SG 3176 w. SG Smart Fix at max. 400 mm centres.

SV

Silent Gliss SG 1090 handdragssystem. Består av aluminiumprofil SG 1090 i specificerad längd i vitlack, alu natur eller angiven RAL färg. 14 st SG 3533 glid per meter samt 2 st SG 3070 vridstopp per system. Takmonteras med fäste SG 3176/3113/3115 c/c 400 mm. Vägghäring med SG 3176 med Smart Fix c/c 400 mm.

NO

Silent Gliss SG 1090 manuell gardinskinne. Består av aluminiumprofil SG 1080 i spesifisert lengde, standard i hvitlakkert eller alu natur. Kan også leveres i spesifisert RAL farge. 14 stk SG 3533 glidere pr meter, 2 stk SG 3070 stopper pr system. Takmonteres med feste SG 3176/3113/3115 c/c 400 mm. Veggmontering med SG 3176 med Smart Fix c/c 400 mm.


DA

Silent Gliss SG 1090 håndtrukket gardinskinnesystem. Består af en aluminiumprofil SG1090 i ønsket længde, sølvanodiseret eller hvid pulverlakering, alternativt en specificeret RAL-farve. 14 stk. SG 3533 pr. m og 2 stk. SG 3070 endestop pr. længde. Loftmonteres med SG 3176/3113/ 3115. Vægmonteres med SG 3176 med SG Smart Fix med en afstand på højst 400 mm.

FITTING

A. FITTING INFORMATION



Fixing points



For detailed fitting information, visit the Silent Gliss website.


B. CEILING FITTING

Bracket SG 3176




SG 3176
Bracket


Double ceiling bracket SG 3113 / SG 3115




| Support | X mm |
|---------|------|
| SG 3113 | 57 |
| SG 3115 | 80 |




SG 3113
Bracket



SG 3115
Bracket




SG 3255
Cover




SG 3256
Cover

C. WALL FITTING


Bracket SG 3175






SG 3175
Bracket

Smart Fix




Smart Fix SG 11200 - SG 11205 and bracket SG 3176:
Screw SG 10277 (M4x12) needed.

| Smart Fix | X mm |
|---------------------|------|
| SG 11200 / SG 11210 | 68 |
| SG 11201 / SG 11211 | 88 |
| SG 11202 / SG 11212 | 108 |
| SG 11203 / SG 11213 | 128 |
| SG 11204 / SG 11214 | 158 |
| SG 11205 / SG 11215 | 208 |




Square Smart Fix SG 11210 - SG 11215 and bracket SG 3176:
Screw SG 10277 (M4x12) needed.




SG 3176
Bracket




SG 10277
Pan head screw M4x12




SG 11200
Smart Fix 60 mm




SG 11201
Smart Fix 80 mm




SG 11202
Smart Fix 100 mm




SG 11203
Smart Fix 120 mm




SG 11204
Smart Fix 150 mm




SG 11205
Smart Fix 200 mm




SG 11210
Square Smart Fix 60 mm




SG 11211
Square Smart Fix 80 mm




SG 11212
Square Smart Fix 100 mm



SG 11213
Square Smart Fix 120 mm







SG 11214
Square Smart Fix 150 mm































SG 11215
Square Smart Fix 200 mm


PARTS

A. STANDARD PARTS

| | |
|--|-------------------------------|
|  | SG 1090p Profile |
|  | SG 3070 End stop |
|  | SG 3085 Spring stop |
|  | SG 3533 Glider |


B. OPTIONAL PARTS

| | | | |
|---|--|---|--|
|  | SG 3016 End stop |  | SG 3535 Glider |
|  | SG 3020 Hook |  | SG 3537 Glider |
|  | SG 3032 Spring stop |  | SG 3548 Glider |
|  | SG 3071 End stop |  | SG 3549 Click glider with hook |
|  | SG 3096 Connection bridge |  | SG 3570 Glider |
|  | SG 3113 Bracket |  | SG 3571 Hook |
|  | SG 3115 Bracket |  | SG 3582 Hook |
|  | SG 3151 Spacer |  | SG 3598 Eyelet |
|  | SG 3175 Bracket |  | SG 3599 Hook |
|  | SG 3176 Bracket |  | SG 10277 Pan head screw M4x12 |
|  | SG 3255 Cover |  | SG 10430 Draw rod 50 cm |
|  | SG 3256 Cover |  | SG 10431 Draw rod 75 cm |
|  | SG 3511 Glider |  | SG 10432 Draw rod 100 cm |
|  | SG 3534 Glider 3533 on strip |  | SG 10433 Draw rod 125 cm |




SG 10434

Draw rod 150 cm




SG 10492

Pan head screw M4x8




SG 11200

Smart Fix 60 mm




SG 11201

Smart Fix 80 mm




SG 11202

Smart Fix 100 mm



SG 11203

Smart Fix 120 mm




SG 11204

Smart Fix 150 mm




SG 11205

Smart Fix 200 mm




SG 11210

Square Smart Fix 60 mm




SG 11211

Square Smart Fix 80 mm




SG 11212

Square Smart Fix 100 mm




SG 11213

Square Smart Fix 120 mm




SG 11214

Square Smart Fix 150 mm



SG 11215



Square Smart Fix 200 mm



SG 11335

End stop

SG 3600



PRODUCT INFORMATION

- **Operation:** hand
- **Fitting:** wall
- **Colours:** white RAL 9016 or anodised aluminum, special colours possible

Features:

- Picture hanging system
- Adjustable height

SYSTEM SPECIFICATIONS


A. SYSTEM DIMENSIONS



10 kg
(Total picture weight)


B. PROFILE

Profile and bending
information



SG 1080p
Profile

C. HOW TO MEASURE



A: System width

D. SPECIFICATION

TEXT

EN

Silent Gliss SG 3600 Picture Hanging System. Comprises aluminium profile SG1080 supplied made to measure in silver anodised or white powder coated, alternatively a specified RAL colour. 2 pcs Endcaps SG 3605 per track. 1 pcs SG Picture hanging set SG 3665 per picture. Wall fix with SG 3606 clip.

SV

Silent Gliss SG 3600 tavelhängningssystem. Består av aluminiumprofil SG 1080 i specificerad längd i vitlack, alu natur eller angiven RAL färg. 2 st ändskydd SG 3605 per skena. 1 st tavelhängningsset SG 3665 per konstverk. Vägghäring med SG 3606 klips.

NO

Silent Gliss SG 3600 Bildeoppengssystem. Består av aluminiumprofil SG 1080 i spesifisert lengde, standard i hvitlakkert eller alu natur. Kan også leveres i spesifisert RAL farge. 2 stk endelokk SG 3605 pr skinne. 1 stk bildeoppengsett SG 3665 pr kunstverk. Veggmontering med SG 3606 klips.

DA

Silent Gliss SG 3600 billedophængningssystem. Består af en aluminiumprofil SG1080 i ønsket længde, sølvanodiseret eller hvid pulverlakering, alternativt en specificeret RAL-farve. 2 stk. endelåg SG 3605 pr. skinne. 1 stk. SG billedophængningsæt SG 3665 pr. billede. Vægmonteres med SG 3606 klips.


FITTING

A. FITTING

INFORMATION



For detailed fitting information, visit the Silent Gliss website.

Fixing Points



B. WALL FITTING

Bracket SG 3606




SG 3606

Clip

**C. HANGING UP OF
PICTURE**


Set SG 3665



Click-in hooks SG 3606.

Parts:





- SG 3634 Height adjuster
- SG 3637 Cord ø 1.5 mm
- SG 3663 Hook






Picture height is adjusted by turning plastic screw.

PARTS


A. STANDARD PARTS

| | |
|---|---------------------------------------|
|  | SG 1080p Profile |
|  | SG 3605 End cover |
|  | SG 3606 Clip |
|  | SG 3665 Picture hanging set |

B. OPTIONAL PARTS

| | |
|---|-------------------------------------|
|  | SG 3604 Corner connector |
|  | SG 3657 Connection bridge |
|  | SG 3666 Clip |

SG 6010



PRODUCT INFORMATION

- **Operation:** hand
- **Range:** S - M
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016, black RAL 9005 or anodised aluminum, special colours possible
- **Fabrics:** refer to Silent Gliss fabric collection


Features:

- 2-component (2C) glider technology
- Wave (2C)
- Bendable

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information




SG 6010p

Profile

Radius:
✓ 15 cm, >25 cm

B. HOW TO MEASURE



A: System width

B: System height

C: Distance between floor and fabric

C. SPECIFICATION

TEXT

EN

Silent Gliss SG 6010 Hand Drawn Curtain Track System. Comprises aluminium profile SG 6010 supplied made to measure in silver anodised or white powder coated, alternatively a specified RAL colour. SG 11300 SILENT TRACK at 14/m and 2 end covers SG 6018 and 2 end stops SG 6065 per length. 2 Top fix with SG 3825. Wall fix with SG 3825 w. SG Smart Fix at max. 500mm centres. Silent Gliss Wave option is available.

SV

Silent Gliss SG 6010 handdragssystem. Består av aluminiumprofil SG 6010 i specificerad längd i vitlack, alu natur eller angiven RAL färg. 14 st SG 11300 SILENT TRACK glid per meter, 2 st SG 6018 ändskydd samt 2 st SG 6065 vridstopp per system. Takmonteras med fäste SG 3825 c/c 500 mm. Vägmontering med SG 3825 med Smart Fix c/c 500 mm. Kan användas med system Wave.

NO

Silent Gliss SG 6010 Manuell gardinskinne. Består av aluminiumprofil SG 6010 i spesifisert lengde, standard i hvitlakkert eller alu natur. Kan også leveres i spesifisert RAL farge. 14 stk SG 11300 SILENT TRACK pr. m og 2 stk SG 6018 endeløkk og 2 stk SG6065 stopper pr system. Veggmontering med SG 3825 med Smart Fix c/c 500mm. Kan kombineres med Wave.

DA


Silent Gliss SG 6010 håndtrukket gardinskinnesystem. Består af en aluminiumprofil SG 6010 i ønsket længde, sølvanodiseret eller hvid pulverlakering, alternativt en specificeret RAL-farve. 14 stk. SG 11300 SILENT TRACK pr. m og 2 stk. SG 6018 endelæg samt 2 stk. SG 6065 endestop pr. længde. Loftmonteres med SG 3825. Vægmonteres med SG 3825 med SG Smart Fix med en afstand på højst 500 mm. Kan bruges med Silent Gliss Wave.

FITTING

A. FITTING INFORMATION



For detailed fitting information, visit the Silent Gliss website.

Fixing points





B. CEILING FITTING

Clamp SG 3825



SG 3825
Clamp


Bracket SG 3832




SG 3832
Bracket

C. WALL FITTING


Smart Fix




Smart Fix SG 11200 - SG 11205 and bracket SG 3832:
Screw SG 10492 (M4x8) needed.




Square Smart Fix SG 11210 - SG 11215 and bracket SG 3832:
Screw SG 10492 (M4x8) needed.




Universal Smart Fix SG 11154 - SG 11156 and bracket SG 3832:
Screw SG 10407 (M4x10) needed.



Smart Fix SG 11200 - SG 11205 and clamp SG 3825:
Screw SG 10074 (M4x8) needed.




Square Smart Fix SG 11210 - SG 11215 and clamp SG 3825:
Screw SG 10074 (M4x8) needed.




Universal Smart Fix SG 11154 - SG 11156 and clamp SG 3825:
Screw SG 11158 (M4x12) needed.

| Smart Fix | X mm (SG 3832) | X mm (SG 3825) |
|---------------------|----------------|----------------|
| SG 11200 / SG 11210 | 70 | 52 |
| SG 11201 / SG 11211 | 90 | 72 |
| SG 11202 / SG 11212 | 110 | 92 |
| SG 11203 / SG 11213 | 130 | 112 |
| SG 11204 / SG 11214 | 160 | 142 |
| SG 11205 / SG 11215 | 210 | 192 |
| SG 11154 | 120-148 | 102-130 |
| SG 11155 | 150-178 | 132-160 |
| SG 11156 | 200-228 | 182-210 |



SG 3825
Clamp



SG 3832
Bracket




SG 10407
Pan head screw M4x10




SG 10492
Pan head screw M4x8




SG 11158
Countersunk head screw
M4x12




SG 11200
Smart Fix 60 mm




SG 11201
Smart Fix 80 mm




SG 11202
Smart Fix 100 mm




SG 11203
Smart Fix 120 mm




SG 11204
Smart Fix 150 mm




SG 11205
Smart Fix 200 mm




SG 11210
Square Smart Fix 60 mm




SG 11211
Square Smart Fix 80 mm




SG 11212
Square Smart Fix 100 mm




SG 11213
Square Smart Fix 120 mm




SG 11214
Square Smart Fix 150 mm




SG 11215
Square Smart Fix 200 mm



SG 11154
Universal Smart Fix 120 mm




SG 11155
Universal Smart Fix 150 mm




SG 11156
Universal Smart Fix 200 mm

SYSTEM OPTIONS

A. WAVE






SG 11295

SG 11302

Standard components:

- SG 11295 End stop
- SG 11302 Wave 2C glider cord 80 mm



SG 2255

SG 2256

SG 6364

SG 6365

Optional components (min. radius: >25 cm):

- SG 2255 Brake
- SG 2256 Brake
- SG 6364 Wave extension
- SG 6365 Wave hanger
- SG 6366 Wave carrier for draw rod
- SG 10430-34 Draw rod
- SG 11303 Wave 2C glider cord 60 mm




SG 6366

SG 10430-34

SG 11303

Curtain components:

- SG 3582 Hook
- SG 6349 Wave curtain tape
- SG 6363 Wave top hemming tape
- SG 10075 Lead weight 50 gr/m
- SG 10076 Fabric weight



SG 3582


SG 6349

SG 6363

SG 10075

SG 10076

Wave stack depth - 2C glider cord (standard components)










| 2C Glider cord SG 11302 | Pockets between hooks | Approx. curtain fullness | Stack depth A | Stack size B* | Min distance C |
|----------------------------|--------------------------|-----------------------------|------------------|---------------------------|-------------------|
| 80 | 6 | ~2.1 | 140 | 180 per metre of track | 90 |
| 80 | 7 | ~2.3 | 160 | 180 per metre of track | 100 |

| 2C Glider cord SG 11303 | Pockets between hooks | Approx. curtain fullness | Stack depth A | Stack size B* | Min distance C |
|----------------------------|--------------------------|-----------------------------|------------------|---------------------------|-------------------|
| 60 | 4 | ~2.1 | 100 | 230 per metre of track | 70 |
| 60 | 5 | ~2.3 | 120 | 230 per metre of track | 80 |





























*Stack size B when using optional extension arm increases by 150 mm per curtain stack!

PARTS

A. STANDARD PARTS


| | |
|---|-------------------------------|
|  | SG 3599 Hook |
|  | SG 3825 Clamp |
|  | SG 6010p Profile |
|  | SG 6018 End cover |
|  | SG 6065 End stop |
|  | SG 6086 Spring stop |
|  | SG 11300 2C glider |

B. OPTIONAL PARTS


| | | | |
|---|-------------------------------------|---|---|
|  | SG 2255 Brake |  | SG 6082 Glider |
|  | SG 2256 Brake |  | SG 6098 Roller |
|  | SG 3012 Hook |  | SG 6240 Roller |
|  | SG 3020 Hook |  | SG 6283 Roller |
|  | SG 3571 Hook |  | SG 6349 Wave curtain tape |
|  | SG 3581 Hook |  | SG 6363 Wave top hemming tape |
|  | SG 3582 Hook |  | SG 6364 Wave extension |
|  | SG 3598 Eyelet |  | SG 6365 Wave hanger |
|  | SG 3802 Connection bridge |  | SG 6366 Wave carrier for draw rod |
|  | SG 3832 Bracket |  | SG 10075 Lead weight 50 g/m |
|  | SG 6005 Hook |  | SG 10076 Fabric weight |
|  | SG 6053 Spring stop |  | SG 10407 Pan head screw M4x10 |
|  | SG 6057 Glider |  | SG 10430 Draw rod 50 cm |
|  | SG 6064 End stop |  | SG 10431 Draw rod 75 cm |




SG 10432
Draw rod 100 cm




SG 10433
Draw rod 125 cm




SG 10434
Draw rod 150 cm




SG 10492
Pan head screw M4x8




SG 11154
Universal Smart Fix 120 mm




SG 11155
Universal Smart Fix 150 mm




SG 11156
Universal Smart Fix 200 mm




SG 11200
Smart Fix 60 mm




SG 11201
Smart Fix 80 mm




SG 11202
Smart Fix 100 mm




SG 11203
Smart Fix 120 mm




SG 11204
Smart Fix 150 mm




SG 11205
Smart Fix 200 mm




SG 11210
Square Smart Fix 60 mm




SG 11211
Square Smart Fix 80 mm




SG 11212
Square Smart Fix 100 mm



SG 11213
Square Smart Fix 120 mm



SG 11214
Square Smart Fix 150 mm




SG 11215
Square Smart Fix 200 mm




SG 11295
End stop




SG 11301
2C glider on strip



SG 11302
Wave 2C glider cord 80 mm




SG 11303
Wave 2C glider cord 60 mm



SG 11305
2C glider for direct sewing

SG 6243



PRODUCT INFORMATION

- **Operation:** hand
- **Range:** S - M
- **Fitting:** recess
- **Colours:** white RAL 9016 or anodised aluminum, special colours possible
- **Fabrics:** refer to Silent Gliss fabric collection


Features:

- 2-component (2C) glider technology
- Wave (2C)
- Bendable
- Pre-drilled profile

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information




SG 6243p

Profile

Radius:
20 cm, >25 cm

B. HOW TO MEASURE



A: System width
B: System height
C: Distance between floor and fabric

C. SPECIFICATION TEXT

EN

Silent Gliss SG 6243 Hand Drawn Curtain Track System for recessed fitting. Comprises aluminium profile SG 6243 supplied made to measure in silver anodised or white powder coated, alternatively a specified RAL colour. SG 11300 SILENT TRACK at 14/m and 2 end stops SG 6065/Spring Stops SG 6086 per length. Top fix to ceiling with screws at max. 240 mm centres. Silent Gliss Wave option is available.

SV

Silent Gliss SG 6243 handdragssystem för infällning. Består av aluminiumprofil SG 6243 i specificerad längd i vitlack, alu natur eller angiven RAL färg. 14 st SG 11300 SILENT TRACK glid per meter, samt 2 st SG 6065 vridstopp / Fjäder SG 6086 per system. Takmonteras med skruv c/c 240 mm. Kan användas med system Wave.

NO

Silent Gliss SG 6243 Manuell gardinskinne for innfelling. Består av aluminiumprofil SG 6243 i spesifisert lengde, standard i hvitlakkert eller alu natur. Kan også leveres i spesifisert RAL farge. 14 stk SG 11300 SILENT TRACK glidere pr meter, 2 stk SG 6065 stopper og 2 stk SG 6086 fjær pr system. Takmonteres med skruer c/c 240mm. Kan kombineres med Wave.

DA


Silent Gliss SG 6243 håndtrukket gardinskinnesystem til indfældning. Består af en aluminiumprofil SG 6243 i ønsket længde, sølvanodiseret eller hvid pulverlakering, alternativt en specificeret RAL-farve. 14 stk. SG 11300 SILENT TRACK pr. m og 2 stk. SG 6065 endestop eller SG 6086 fjeder pr. længde. Fastgøres i loftet med skruer med højst 240 mm afstand. Kan bruges med Silent Gliss Wave.

FITTING

A. FITTING INFORMATION


For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. RECESS FITTING


Direct into wood




Recess channel: 11 x 14 mm

SYSTEM OPTIONS

A. WAVE




SG 11295



SG 11302


Standard components:

- SG 11295 End stop
- SG 11302 Wave 2C glider cord 80 mm



Optional components (min. radius >25 cm):


- SG 2255 Brake
- SG 2256 Brake
- SG 6364 Wave extension
- SG 6365 Wave hanger
- SG 6366 Wave carrier for draw rod
- SG 10430-34 Draw rod
- SG 11303 Wave 2C glider cord 60 mm



Curtain components:

- SG 3582 Hook
- SG 6349 Wave curtain tape
- SG 6363 Wave top hemming tape
- SG 10075 Lead weight 50 gr/m
- SG 10076 Fabric weight

Wave stack depth - 2C glider cord (standard components)



A = Stack depth
B = Stack size
C = Min. distance







| 2C Glider cord SG 11302 | Pockets between hooks | Approx. curtain fullness | Stack depth A | Stack size B* | Min distance C |
|----------------------------|--------------------------|-----------------------------|------------------|---------------------------|-------------------|
| 80 | 6 | ~2.1 | 140 | 180 per metre of track | 90 |
| 80 | 7 | ~2.3 | 160 | 180 per metre of track | 100 |

| 2C Glider cord SG 11303 | Pockets between hooks | Approx. curtain fullness | Stack depth A | Stack size B* | Min distance C |
|----------------------------|--------------------------|-----------------------------|------------------|---------------------------|-------------------|
| 60 | 4 | ~2.1 | 100 | 230 per metre of track | 70 |
| 60 | 5 | ~2.3 | 120 | 230 per metre of track | 80 |















*Stack size B when using optional extension arm increases by 150 mm per curtain!















PARTS


A. STANDARD PARTS

| | |
|--|--|
|  | SG 3599 Hook |
|  | SG 6065 End stop |
|  | SG 6086 Spring stop |
|  | SG 6243p Profile |
|  | SG 10717 Countersunk head screw 2.2x19 |
|  | SG 11300 2C glider |

B. OPTIONAL PARTS


| | |
|---|-------------------------------------|
|  | SG 2255 Brake |
|  | SG 2256 Brake |
|  | SG 3012 Hook |
|  | SG 3020 Hook |
|  | SG 3067 Connection bridge |
|  | SG 3571 Hook |
|  | SG 3582 Hook |
|  | SG 3598 Eyelet |
|  | SG 6053 Spring stop |
|  | SG 6057 Glider |
|  | SG 6064 End stop |
|  | SG 6082 Glider |
|  | SG 6094 Roller |
|  | SG 6098 Roller |

| | |
|---|---|
|  | SG 6240 Roller |
|  | SG 6283 Roller |
|  | SG 6349 Wave curtain tape |
|  | SG 6363 Wave top hemming tape |
|  | SG 6364 Wave extension |
|  | SG 6365 Wave hanger |
|  | SG 6366 Wave carrier for draw rod |
|  | SG 7002 Profile protector |
|  | SG 10075 Lead weight 50 g/m |
|  | SG 10076 Fabric weight |
|  | SG 10430 Draw rod 50 cm |
|  | SG 10431 Draw rod 75 cm |
|  | SG 10432 Draw rod 100 cm |
|  | SG 10433 Draw rod 125 cm |



SG 10434

Draw rod 150 cm




SG 11295

End stop




SG 11301

2C glider on strip




SG 11302

Wave 2C glider cord 80 mm



SG 11303



Wave 2C glider cord 60 mm



SG 11305

2C glider for direct sewing

SG 6250



PRODUCT INFORMATION

- **Operation:** hand
- **Range:** S - M
- **Fitting:** recess
- **Colours:** white RAL 9016
- **Fabrics:** refer to Silent Gliss fabric collection


Features:

- 2-component (2C) glider technology
- Wave (2C)
- Bendable

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information




SG 11220

Profile with cover

✓ Radius:
10 cm, 20 cm

B. HOW TO MEASURE



A: System width

B: System height

C: Distance between floor and fabric

C. SPECIFICATION TEXT

EN

Silent Gliss SG 6250 Hand Drawn Curtain Track System for recessed fitting. Comprises aluminium profile SG 11220 supplied made to measure in white powder coated, SG 11300 SILENT TRACK at 14/m and 2 Spring Stops SG 6245 per length. Top fix to ceiling with glue. Silent Gliss Wave option is available.

SV

Silent Gliss SG 6250 handdragssystem för infällning. Består av aluminiumprofil SG 11220 i specificerad längd i vitlack. 14 st SG 11300 SILENT TRACK glid per meter samt 2 st SG 6245 fjäder per system. Takmonteras med bygglim. Kan användas med system Wave.

NO

Silent Gliss SG 6250 Manuell gardinskinne for innfelling. Består av aluminiumprofil SG 11220 i spesifisert hvitlakkert lengde. 14 stk SG 11300 SILENT TRACK glide per meter, 2 stk SG 6245 fjær pr system. Takmonteres med bygglim. Kan brukes med Wave system.

DA


Silent Gliss SG 6250 håndtrukket gardinskinnesystem til indfældning. Består af aluminiumprofil SG 11220 i ønsket længde, hvid pulverlakering. 14 stk. SG 11300 SILENT TRACK pr. m og 2 stk. SG 6245 fjeder pr. længde. Fastgøres i loftet med lim. Kan bruges med Silent Gliss Wave.

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website, login section.


B. RECESS FITTING




Adhesive assembly exclusively on raw concrete.

SYSTEM OPTIONS

A. WAVE




SG 11295



SG 11302

Standard components:


- SG 11295 End stop
- SG 11302 Wave 2C glider cord 80 mm



SG 11303

Optional components:


- SG 11303 Wave 2C glider cord 60 mm



Curtain components:

- SG 3582 Hook
- SG 6349 Wave curtain tape
- SG 6363 Wave top hemming tape
- SG 10075 Lead weight 50 gr/m
- SG 10076 Fabric weight

Wave stack depth - 2C glider cord (standard components)








A = Stack depth
 B = Stack size
 C = Min. distance

| 2C Glider cord SG 11302 | Pockets between hooks | Approx. curtain fullness | Stack depth A | Stack size B* | Min distance C |
|----------------------------|--------------------------|-----------------------------|------------------|---------------------------|-------------------|
| 80 | 6 | ~2.1 | 140 | 180 per metre of track | 90 |
| 80 | 7 | ~2.3 | 160 | 180 per metre of track | 100 |















| 2C Glider cord SG 11303 | Pockets between hooks | Approx. curtain fullness | Stack depth A | Stack size B* | Min distance C |
|----------------------------|--------------------------|-----------------------------|------------------|---------------------------|-------------------|
| 60 | 4 | ~2.1 | 100 | 230 per metre of track | 70 |
| 60 | 5 | ~2.3 | 120 | 230 per metre of track | 80 |

PARTS



A. STANDARD PARTS

| | |
|---|---------------------------------------|
|  | SG 3599 Hook |
|  | SG 6065 End stop |
|  | SG 6245 Spring stop |
|  | SG 11220 Profile with cover |
|  | SG 11300 2C glider |

B. OPTIONAL PARTS

| | |
|---|--|
|  | SG 3012 Hook |
|  | SG 3582 Hook |
|  | SG 6057 Glider |
|  | SG 6082 Glider |
|  | SG 6349 Wave curtain tape |
|  | SG 6363 Wave top hemming tape |
|  | SG 10075 Lead weight 50 g/m |
|  | SG 10076 Fabric weight |
|  | SG 11222 Connector |
|  | SG 11295 End stop |
|  | SG 11301 2C glider on strip |
|  | SG 11302 Wave 2C glider cord 80 mm |
|  | SG 11303 Wave 2C glider cord 60 mm |
|  | SG 11305 2C glider for direct sewing |

SG 6293



PRODUCT INFORMATION

- **Operation:** hand
- **Range:** M - L
- **Fitting:** ceiling
- **Colours:** white RAL 9016 or anodised aluminum, special colours possible
- **Fabrics:** refer to Silent Gliss fabric collection


Features:

- 2-component (2C) glider technology
- Pre-drilled profile

SYSTEM SPECIFICATIONS

A. PROFILE


Profile information



SG 6293p

Profile

B. HOW TO MEASURE



A: System width

B: System height

C: Distance between floor and fabric

C. SPECIFICATION

TEXT

EN

Silent Gliss SG 6293 Hand Drawn Curtain Track System for recessed fitting. Comprises aluminium profile SG 6293 supplied made to measure in silver anodised or white powder coated, alternatively a specified RAL colour. SG 11300 SILENT TRACK at 14/m/track and 6 SG 6065 End stops / SG 6086 Spring Stops per length. Top fix to ceiling with screws at max. 400 mm centres.

SV

Silent Gliss SG 6293 handdragssystem för infällning. Består av aluminiumprofil SG 6293 i specificerad längd i vitlack, alu natur eller angiven RAL färg. 14 st SG 11300 SILENT TRACK glid per meter/spår samt 6 st SG 6065 vridstopp / SG 6086 fjäder per system. Takmonteras med skruv c/c 400 mm.

NO

Silent Gliss SG 6293 Manuell gardinskinne for innfelling. Består av aluminiumprofil SG 6293 i spesifisert lengde, standard i hvitlakkert eller alu natur. Kan også leveres i spesifisert RAL farge. 14 stk SG 11300 SILENT TRACK glidere pr meter/spor, 6 stk SG 6065 vristopp/SG 6086 fjær pr system. Takmonteres med skruer c/c 400 mm.

DA


Silent Gliss SG 6293 håndtrukket gardinskinnesystem til indfældning. Består af en aluminiumprofil SG 6293 i ønsket længde, sølvanodiseret eller hvid pulverlakering, alternativt en specificeret RAL-farve. 14 stk. SG 11300 SILENT TRACK pr. m/skinne og 6 stk. SG 6065 endestop eller SG 6086 fjeder pr. længde. Fastgøres i loftet med skruer med højst 400 mm afstand.

FITTING

A. FITTING INFORMATION


For detailed fitting information, visit the *Silent Gliss* website.

Fixing points








B. CEILING FITTING

Direct fitting























PARTS


A. STANDARD PARTS

| | |
|--|-------------------------------|
|  | SG 3599 Hook |
|  | SG 6065 End stop |
|  | SG 6086 Spring stop |
|  | SG 6293p Profile |
|  | SG 11300 2C glider |

B. OPTIONAL PARTS

| | | | |
|---|-------------------------------------|--|--|
|  | SG 3012 Hook |  | SG 10432 Draw rod 100 cm |
|  | SG 3581 Hook |  | SG 10433 Draw rod 125 cm |
|  | SG 3598 Eyelet |  | SG 10434 Draw rod 150 cm |
|  | SG 6053 Spring stop |  | SG 11295 End stop |
|  | SG 6057 Glider |  | SG 11301 2C glider on strip |
|  | SG 6082 Glider |  | SG 11305 2C glider for direct sewing |
|  | SG 6094 Roller | | |
|  | SG 6098 Roller | | |
|  | SG 6240 Roller | | |
|  | SG 6246 Corner connection | | |
|  | SG 6269 Connection bridge | | |
|  | SG 6283 Roller | | |
|  | SG 10430 Draw rod 50 cm | | |
|  | SG 10431 Draw rod 75 cm | | |

SG 6380



PRODUCT INFORMATION

- **Operation:** hand
- **Range:** M - L
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016 or anodised aluminum, special colours possible
- **Fabrics:** refer to Silent Gliss fabric collection


Features:

- 2-component (2C) glider technology
- Wave (2C)
- Bendable

SYSTEM SPECIFICATIONS


A. PROFILE

Profile and bending information




SG 6380p

Profile

 Radius:
10 cm, >25 cm

B. HOW TO MEASURE



A: System width
B: System height
C: Distance between floor and fabric

C. SPECIFICATION TEXT

EN

Silent Gliss SG 6380 Hand Drawn Curtain Track System. Comprises aluminium profile SG 6380 supplied made to measure in silver anodised or white powder coated, alternatively a specified RAL colour. SG 11130 at 14/m and 2 end covers SG 6381. Top fixed with brackets SG 3603 at max. 600 mm centres / wall fix SG Smart Fix at max. 600 mm centres. Silent Gliss Wave option is available.

SV

Silent Gliss SG 6380 handdragssystem. Består av aluminiumprofil SG 6380 i specificerad längd i vitlack, alu natur eller angiven RAL färg. 14 st SG 11300 SILENT TRACK glid per meter, 2 st SG 6381 ändskydd per system. Takmonteras med fäste SG 3603 c/c 600 mm. Vägghängning med SG 3603 och Smart Fix c/c 600 mm. Kan användas med system Wave.

NO

Silent Gliss SG 6380 Manuell gardinskinne. Består av aluminiumprofil SG 6380 i spesifisert lengde, standard i hvitlakkert eller alu natur. Kan også leveres i spesifisert RAL farge. 14 stk SG 11300 SILENT TRACK glidere pr meter, 2 stk SG 6381 endeløkk pr system. Takmonteres med feste 3603 c/c 600 mm. Veggmontering med SG 3603 og smart Fix c/c 600 mm. Kan benyttes med Wave system.

DA


Silent Gliss SG 6380 håndtrukket gardinskinnesystem. Består af en aluminiumprofil SG 6380 i ønsket længde, sølvanodiseret eller hvid pulverlakering, alternativt en specificeret RAL-farve. 14 stk. SG 11130 pr. m og 2 stk. SG 6381 endelæg. Loftmonteres med beslagene SG 3603 med højst 600 mm afstand. Vægmonteres med SG Smart Fix med højst 600 mm afstand Kan bruges med Silent Gliss Wave.

FITTING

A. FITTING INFORMATION



For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. CEILING FITTING


Bracket SG 3603




SG 3603
Bracket

C. WALL FITTING

Smart Fix




Smart Fix SG 11200 - SG 11205 and bracket SG 3603:
Screw SG 10492 (M4x8) needed.




Square Smart Fix SG 11210 - SG 11215 and bracket SG 3603:
Screw SG 10492 (M4x8) needed.

| Smart Fix | X mm |
|---------------------|---------|
| SG 11200 / SG 11210 | 72 |
| SG 11201 / SG 11211 | 92 |
| SG 11202 / SG 11212 | 112 |
| SG 11203 / SG 11213 | 132 |
| SG 11204 / SG 11214 | 162 |
| SG 11205 / SG 11215 | 212 |
| SG 11154 | 122-150 |
| SG 11155 | 152-180 |
| SG 11156 | 202-230 |



Universal Smart Fix SG 11154 - SG 11156 and bracket SG 3603:

Screw SG 10277 (M4x12) needed.



SG 3603

Bracket




SG 10277

Pan head screw M4x12




SG 10492

Pan head screw M4x8




SG 11200

Smart Fix 60 mm




SG 11201

Smart Fix 80 mm




SG 11202

Smart Fix 100 mm




SG 11203

Smart Fix 120 mm




SG 11204

Smart Fix 150 mm




SG 11205

Smart Fix 200 mm




SG 11210

Square Smart Fix 60 mm




SG 11211

Square Smart Fix 80 mm




SG 11212

Square Smart Fix 100 mm




SG 11213

Square Smart Fix 120 mm




SG 11214

Square Smart Fix 150 mm




SG 11215

Square Smart Fix 200 mm




SG 11154

Universal Smart Fix 120 mm



SG 11155


Universal Smart Fix 150 mm




SG 11156

Universal Smart Fix 200 mm


**Universal Brackets
SG 3630, SG 3655,
SG 3660**




| Bracket | X mm |
|----------------|-------------|
| SG 3630 | 35 |
| SG 3655 | 50 |
| SG 3660 | 65 |



SG 3630
Bracket 35 mm




SG 3655
Bracket 50 mm




SG 3660
Bracket 65 mm

SYSTEM OPTIONS

A. WAVE



SG 11295



SG 11302

Standard components:


- SG 11295 End stop
- SG 11302 Wave 2C glider cord 80 mm



SG 2255



SG 2256




SG 6364




SG 6365

Optional components (min. radius >25 cm):


- SG 2255 Brake
- SG 2256 Brake
- SG 6364 Wave extension
- SG 6365 Wave hanger
- SG 6366 Wave carrier for draw rod
- SG 10430-34 Draw rod
- SG 11303 Wave 2C glider cord 60 mm




SG 6366



SG 10430-34




SG 11303



Curtain components:

- SG 3582 Hook
- SG 6349 Wave curtain tape
- SG 6363 Wave top hemming tape
- SG 10075 Lead weight 50 gr/m
- SG 10076 Fabric weight

Wave stack depth - 2C glider cord (standard components)










| 2C Glider cord SG 11302 | Pockets between hooks | Approx. curtain fullness | Stack depth A | Stack size B* | Min distance C |
|----------------------------|--------------------------|-----------------------------|------------------|---------------------------|-------------------|
| 80 | 6 | ~2.1 | 140 | 180 per metre of track | 90 |
| 80 | 7 | ~2.3 | 160 | 180 per metre of track | 100 |

| 2C Glider cord SG 11303 | Pockets between hooks | Approx. curtain fullness | Stack depth A | Stack size B* | Min distance C |
|----------------------------|--------------------------|-----------------------------|------------------|---------------------------|-------------------|
| 60 | 4 | ~2.1 | 100 | 230 per metre of track | 70 |
| 60 | 5 | ~2.3 | 120 | 230 per metre of track | 80 |





























*Stack size B when using optional extension arm increases by 150 mm per curtain stack!


PARTS

A. STANDARD PARTS

| | |
|---|-------------------------------|
|  | SG 3599 Hook |
|  | SG 3603 Bracket |
|  | SG 6065 End stop |
|  | SG 6086 Spring stop |
|  | SG 6380p Profile |
|  | SG 6381 End cover |
|  | SG 11300 2C glider |


B. OPTIONAL PARTS

| | | | |
|---|-------------------------------------|---|---|
|  | SG 2255 Brake |  | SG 6005 Hook |
|  | SG 2256 Brake |  | SG 6053 Spring stop |
|  | SG 3012 Hook |  | SG 6057 Glider |
|  | SG 3555 Hook |  | SG 6082 Glider |
|  | SG 3571 Hook |  | SG 6094 Roller |
|  | SG 3581 Hook |  | SG 6098 Roller |
|  | SG 3582 Hook |  | SG 6240 Roller |
|  | SG 3598 Eyelet |  | SG 6283 Roller |
|  | SG 3618 Wall bracket |  | SG 6349 Wave curtain tape |
|  | SG 3620 Connection bridge |  | SG 6363 Wave top hemming tape |
|  | SG 3630 Bracket 35 mm |  | SG 6364 Wave extension |
|  | SG 3655 Bracket 50 mm |  | SG 6365 Wave hanger |
|  | SG 3660 Bracket 65 mm |  | SG 6366 Wave carrier for draw rod |
|  | SG 6004 Eyelet |  | SG 10075 Lead weight 50 g/m |




SG 10076

Fabric weight




SG 10277

Pan head screw M4x12




SG 10430

Draw rod 50 cm




SG 10431

Draw rod 75 cm




SG 10432

Draw rod 100 cm



SG 10433

Draw rod 125 cm




SG 10434

Draw rod 150 cm




SG 10492

Pan head screw M4x8




SG 11154

Universal Smart Fix 120 mm




SG 11155

Universal Smart Fix 150 mm




SG 11156

Universal Smart Fix 200 mm



SG 11200

Smart Fix 60 mm




SG 11201

Smart Fix 80 mm



SG 11202

Smart Fix 100 mm




SG 11203

Smart Fix 120 mm




SG 11204

Smart Fix 150 mm




SG 11205

Smart Fix 200 mm




SG 11210

Square Smart Fix 60 mm




SG 11211

Square Smart Fix 80 mm




SG 11212

Square Smart Fix 100 mm




SG 11213

Square Smart Fix 120 mm



SG 11214

Square Smart Fix 150 mm



SG 11215

Square Smart Fix 200 mm



SG 11295

End stop



SG 11301

2C glider on strip



SG 11302

Wave 2C glider cord 80 mm



SG 11303


Wave 2C glider cord 60 mm



SG 11305

2C glider for direct sewing

SG 6465



PRODUCT INFORMATION

- **Operation:** hand
- **Range:** S - M
- **Fitting:** ceiling, recess
- **Colours:** white RAL 9016, black RAL 9005 or anodised aluminum, special colours possible (recess profile only in white RAL 9016, black RAL 9005 or special color)
- **Fabrics:** refer to Silent Gliss fabric collection


Features:

- 2-component (2C) glider technology
- Wave (2C)
- Bendable
- Bendable recess profile

SYSTEM SPECIFICATIONS

A. PROFILE


Profile and bending information



SG 6466

Profile

Radius:
✓ 8 cm, 12 cm, 16 cm,
>25 cm




SG 11231

Recess profile

Radius:
✓ >27 cm

B. HOW TO MEASURE



A: System width

B: System height

C: Distance between floor and fabric

C. SPECIFICATION

TEXT

EN

Silent Gliss SG 6465 Hand Drawn Curtain Track System. Comprises aluminium profile SG 6466 supplied made to measure in silver anodised or white powder coated, alternatively a specified RAL colour. SG 11130 at 14/m, 2 end covers SG 6471 and 2 SG 6065 stops. Top fixed with brackets. Recess profile SG 11231 is optional. SG 3060 at max. 300 mm centres. Silent Gliss Wave option is available.

SV

Silent Gliss SG 6465 handdragssystem. Består av aluminiumprofil SG 6466 i specificerad längd i vitlack, alu natur eller angiven RAL färg.

14 st SG 11300 SILENT TRACK glid per meter, 2 st SG 6471 ändskydd samt 2 st SG 6065 vridstopp per system. Kan användas med system Wave. Kan också levereras med profil för infällning SG 11231. Takmonteras med fäste SG 3060 c/c 300 mm.

NO

Silent Gliss SG 6465 Manuell gardinskinne. Består av aluminiumprofil SG 6466 i spesifisert lengde, standard i hvitlakkert eller alu natur. Kan også leveres i spesifisert RAL farge. 14 stk SG 11300 SILENT TRACK glidere pr meter, 2 stk SG 6471 endeløkk og 2 stk 6065 fjær pr system. Takmonteres med feste SG 3060 c/c 300 mm. Kan leveres med profil for innfelling SG 11231.

DA


Silent Gliss SG 6465 håndtrukket gardinskinnesystem. Består af en aluminiumprofil SG 6466 i ønsket længde, sølvanodiseret eller hvid pulverlakering, alternativt en specificeret RAL-farve. 14 stk. SG 11130 glidere pr. m og 2 stk. SG 6471 endelåg samt 2 stk. SG 6065 endestop. Loftmonteres med beslag. Kan leveres med indfældningsprofil SG 11231. SG 3060 med højst 300 mm afstand. Kan bruges med Silent Gliss Wave.

FITTING

A. FITTING INFORMATION



For detailed fitting information, visit the [Silent Gliss website](#).

Fixing points



B. CEILING FITTING


Clamp SG 3060




SG 3060
Clamp

C. RECESS FITTING


Recess profile SG 11231




One wedge SG 11237 per fixing point.
For detailed recess fitting, visit the [Silent Gliss website](#).



SG 11231
Recess profile




SG 11239
Recess Mask




SG 11237
Wedge

SYSTEM OPTIONS

A. WAVE



SG 11295




SG 11302



SG 2255




SG 2256




SG 6364




SG 6365



SG 6366



SG 10430-34



SG 11303

Standard components:


- SG 11295 End stop
- SG 11302 Wave 2C glider cord 80 mm

Optional components (min. radius >25 cm):


- SG 2255 Brake
- SG 2256 Brake
- SG 6364 Wave extension
- SG 6365 Wave hanger
- SG 6366 Wave carrier for draw rod
- SG 10430-34 Draw rod
- SG 11303 Wave 2C glider cord 60 mm




SG 3582



SG 6349



SG 6363



SG 10075




SG 10076

Curtain components:

- SG 3582 Hook
- SG 6349 Wave curtain tape
- SG 6363 Wave top hemming tape
- SG 10075 Lead weight 50 gr/m
- SG 10076 Fabric weight

Wave stack depth - 2C glider cord (standard components)










| 2C Glider cord SG 11302 | Pockets between hooks | Approx. curtain fullness | Stack depth A | Stack size B* | Min distance C |
|----------------------------|--------------------------|-----------------------------|------------------|---------------------------|-------------------|
| 80 | 6 | ~2.1 | 140 | 180 per metre of track | 90 |
| 80 | 7 | ~2.3 | 160 | 180 per metre of track | 100 |

| 2C Glider cord SG 11303 | Pockets between hooks | Approx. curtain fullness | Stack depth A | Stack size B* | Min distance C |
|----------------------------|--------------------------|-----------------------------|------------------|---------------------------|-------------------|
| 60 | 4 | ~2.1 | 100 | 230 per metre of track | 70 |
| 60 | 5 | ~2.3 | 120 | 230 per metre of track | 80 |















*Stack size B when using optional extension arm increases by 150 mm per curtain stack!















PARTS

A. STANDARD PARTS

| | |
|--|-------------------------------|
|  | SG 3060 Clamp |
|  | SG 3599 Hook |
|  | SG 6065 End stop |
|  | SG 6245 Spring stop |
|  | SG 6466 Profile |
|  | SG 6471 End cover |
|  | SG 11300 2C glider |

B. OPTIONAL PARTS

| | |
|---|---|
|  | SG 2255 Brake |
|  | SG 2256 Brake |
|  | SG 3012 Hook |
|  | SG 3062 Connection bridge |
|  | SG 3582 Hook |
|  | SG 3598 Eyelet |
|  | SG 6057 Glider |
|  | SG 6064 End stop |
|  | SG 6082 Glider |
|  | SG 6349 Wave curtain tape |
|  | SG 6363 Wave top hemming tape |
|  | SG 6364 Wave extension |
|  | SG 6365 Wave hanger |
|  | SG 6366 Wave carrier for draw rod |

| | |
|---|--|
|  | SG 10075 Lead weight 50 g/m |
|  | SG 10076 Fabric weight |
|  | SG 10430 Draw rod 50 cm |
|  | SG 10431 Draw rod 75 cm |
|  | SG 10432 Draw rod 100 cm |
|  | SG 10433 Draw rod 125 cm |
|  | SG 10434 Draw rod 150 cm |
|  | SG 11231 Recess profile |
|  | SG 11237 Wedge |
|  | SG 11239 Recess Mask |
|  | SG 11295 End stop |
|  | SG 11301 2C glider on strip |
|  | SG 11302 Wave 2C glider cord 80 mm |
|  | SG 11303 Wave 2C glider cord 60 mm |



SG 11305

2C glider for direct sewing

SG 6475



PRODUCT INFORMATION

- **Operation:** hand
- **Range:** S - M
- **Fitting:** ceiling
- **Colours:** white RAL 9016 or anodised aluminum, special colours possible
- **Fabrics:** refer to Silent Gliss fabric collection


Features:

- 2-component (2C) glider technology
- Wave (2C)
- Bendable

SYSTEM SPECIFICATION

A. PROFILE

Profile and bending information




SG 6475p

Profile

Radius:
8 cm, 12 cm, 16 cm,
>25 cm

B. HOW TO MEASURE



A: System width
B: System height
C: Distance between floor and fabric

C. SPECIFICATION

TEXT

EN

Silent Gliss SG 6475 Hand Drawn Curtain Track System. Comprises aluminium profile SG 6475 supplied made to measure in silver anodised or white powder coated, alternatively a specified RAL colour. SG 1130 at 14/m, 2 end covers SG 6476 and 2 SG 6065 stops. Top fixed with brackets SG 3060 at max. 300 mm centres. Silent Gliss Wave option is available.

SV

Silent Gliss SG 6475 handdragssystem. Består av aluminiumprofil SG 6475 i specificerad längd i vitlack, alu natur eller angiven RAL färg. 14 st SG 11300 SILENT TRACK glid per meter, 2 st SG 6476 ändskydd samt 2 st SG 6065 vridstopp per system. Takmonteras med fäste SG 3060 c/c 300 mm. Kan användas med system Wave.

NO

Silent Gliss SG 6475 Manuell gardinskinne. Består av aluminiumprofil SG 6475 i spesifisert lengde, standard i hvitlakkert eller alu natur. Kan også leveres i spesifisert RAL farge. 14 stk SG 11300 SILENT TRACK glidere pr meter, 2 stk 6476 endeløkk og 2 stk SG 6065 vristopp pr system. Takmonteres med feste SG 3060 c/c 300 mm. Kan kombineres med Wave system.

DA


Silent Gliss SG 6475 håndtrukket gardinskinnesystem. Består af en aluminiumprofil SG 6475 i ønsket længde, sølvanodiseret eller hvid pulverlakering, alternativt en specificeret RAL-farve. 14 stk. SG 11300 glidere pr. m og 2 stk. SG 6476 endelåg samt 2 stk. SG 6065 endestop. Loftmonteres med beslagene SG 3060 med højst 300 mm afstand. Kan bruges med Silent Gliss Wave.

FITTING

A. FITTING INFORMATION



For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. CEILING FITTING


Clamp SG 3060




SG 3060
Clamp

SYSTEM OPTIONS

A. WAVE




SG 11295



SG 11302


Standard components:

- SG 11295 End stop
- SG 11302 Wave 2C glider cord 80 mm



Optional components (min. radius >25 cm):


- SG 2255 Brake
- SG 2256 Brake
- SG 6364 Wave extension
- SG 6365 Wave hanger
- SG 6366 Wave carrier for draw rod
- SG 10430-34 Draw rod
- SG 11303 Wave 2C glider cord 60 mm



Curtain components:

- SG 3582 Hook
- SG 6349 Wave curtain tape
- SG 6363 Wave top hemming tape
- SG 10075 Lead weight 50 gr/m
- SG 10076 Fabric weight

Wave stack depth - 2C glider cord (standard components)



A = Stack depth
B = Stack size
C = Min. distance








| 2C Glider cord SG 11302 | Pockets between hooks | Approx. curtain fullness | Stack depth A | Stack size B* | Min distance C |
|----------------------------|--------------------------|-----------------------------|------------------|---------------------------|-------------------|
| 80 | 6 | ~2.1 | 140 | 180 per metre of track | 90 |
| 80 | 7 | ~2.3 | 160 | 180 per metre of track | 100 |

| 2C Glider cord SG 11303 | Pockets between hooks | Approx. curtain fullness | Stack depth A | Stack size B* | Min distance C |
|----------------------------|--------------------------|-----------------------------|------------------|---------------------------|-------------------|
| 60 | 4 | ~2.1 | 100 | 230 per metre of track | 70 |
| 60 | 5 | ~2.3 | 120 | 230 per metre of track | 80 |















*Stack size B when using optional extension arm increases by 150 mm per curtain!











PARTS

A. STANDARD PARTS



| | |
|---|-------------------------------|
|  | SG 3060 Clamp |
|  | SG 3599 Hook |
|  | SG 6065 End stop |
|  | SG 6245 Spring stop |
|  | SG 6475p Profile |
|  | SG 6476 End cover |
|  | SG 11300 2C glider |

B. OPTIONAL PARTS

| | |
|---|---|
|  | SG 2255 Brake |
|  | SG 2256 Brake |
|  | SG 3012 Hook |
|  | SG 3062 Connection bridge |
|  | SG 3582 Hook |
|  | SG 6057 Glider |
|  | SG 6082 Glider |
|  | SG 6349 Wave curtain tape |
|  | SG 6363 Wave top hemming tape |
|  | SG 6364 Wave extension |
|  | SG 6365 Wave hanger |
|  | SG 6366 Wave carrier for draw rod |
|  | SG 10075 Lead weight 50 g/m |
|  | SG 10076 Fabric weight |

| | |
|---|--|
|  | SG 10430 Draw rod 50 cm |
|  | SG 10431 Draw rod 75 cm |
|  | SG 10432 Draw rod 100 cm |
|  | SG 10433 Draw rod 125 cm |
|  | SG 10434 Draw rod 150 cm |
|  | SG 11295 End stop |
|  | SG 11301 2C glider on strip |
|  | SG 11302 Wave 2C glider cord 80 mm |
|  | SG 11303 Wave 2C glider cord 60 mm |
|  | SG 11305 2C glider for direct sewing |

SG 6815



PRODUCT INFORMATION

- **Operation:** hand
- **Range:** S - M
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016 or anodised aluminum, special colours possible
- **Fabrics:** refer to Silent Gliss fabric collection


Features:

- 2-component (2C) glider technology
- Wave (2C)
- Bendable

SYSTEM SPECIFICATIONS


A. PROFILE

Profile and bending information




SG 6103p

Profile

 Radius: >25 cm

B. HOW TO MEASURE



A: System width

B: System height

C: Distance between floor and fabric

C. SPECIFICATION

TEXT

EN

Silent Gliss SG 6815 Hand Drawn Curtain Track System. Comprises aluminium profile SG 6103 supplied made to measure in silver anodised or white powder coated, alternatively a specified RAL colour. SG 11130 at 14/m, 2 end covers SG 6630 and 2 SG 6065 stops. Top fixed with brackets SG 6124/6175 at max. 800 mm centres / wall fix SG Smart Fix at max. 800 mm centres. Silent Gliss Wave option is available.

SV

Silent Gliss SG 6815 handdragssystem. Består av aluminiumprofil SG 6103 i specificerad längd i vitlack, alu natur eller angiven RAL färg. 14 st SG 11300 SILENT TRACK glid per meter, 2 st SG 6630 ändskydd samt 2 st SG 6065 vridstopp per system. Takmonteras med fäste SG 6124/6175 c/c 800 mm. Kan användas med system Wave.

NO

Silent Gliss SG 6815 Manuell gardinskinne. Består av aluminiumprofil SG 6103 i spesifisert lengde, standard i hvitlakkert eller alu natur. Kan også leveres i spesifisert RAL farge. 14 stk SG 11300 SILENT TRACK glidere pr meter, 2 stk 6630 endelokk og 2 stk SG 6065 vristopp pr system. Takmonteres med feste SG 6124/ 6175 c/c 800 mm. Kan kombineres med Wave system.


DA

Silent Gliss SG 6815 håndtrukket gardinskinnesystem. Består af en aluminiumprofil SG 6103 i ønsket længde, sølvanodiseret eller hvid pulverlakering, alternativt en specificeret RAL-farve. 14 stk. SG 11130 glidere pr. m og 2 stk. SG 6630 endelåg samt 2 stk. SG 6065 endestop. Loftmonteres med beslagene SG 6124/6175 medhøjest 800 mm afstand. Vægmonteres med SG Smart Fix med højest 800 mm afstand. Kan bruges med Silent Gliss Wave.

FITTING


A. FITTING INFORMATION

Fixing points




For detailed fitting information, visit the Silent Gliss website.


B. CEILING FITTING




Mini hanger SG 6175



Bracket SG 6124




SG 6175
Mini hanger



SG 6124
Bracket


C. WALL FITTING

Smart Fix




Smart Fix with slot SG 11206 - SG 11208:
Screw SG 10492 (M4x8) needed.

| Smart Fix | X mm |
|---------------------|---------|
| SG 11206 / SG 11216 | 33-51 |
| SG 11207 / SG 11217 | 53-71 |
| SG 11208 / SG 11218 | 73-91 |
| SG 11154 | 102-130 |
| SG 11155 | 132-160 |
| SG 11156 | 182-210 |




Square Smart Fix with slot SG 11216 - SG 11218:

Screw SG 10492 (M4x8) needed.



Universal Smart Fix SG 11154 - SG 11156:

Screw SG 11131 (M4x6) needed.



SG 6117

Slot nut




SG 10492

Pan head screw M4x8




SG 11131

Pan head screw with flange M4x6




SG 11206

Smart Fix with slot 60 mm




SG 11207

Smart Fix with slot 80 mm




SG 11208

Smart Fix with slot 100 mm




SG 11216

Square Smart Fix with slot 60 mm




SG 11217

Square Smart Fix with slot 80 mm




SG 11218

Square Smart Fix with slot 100 mm




SG 11154

Universal Smart Fix 120 mm



SG 11155

Universal Smart Fix 150 mm





SG 11156

Universal Smart Fix 200 mm

SYSTEM OPTIONS

A. WAVE




SG 11295

SG 11302

Standard components:

- SG 11295 End stop
- SG 11302 Wave 2C glider cord 80 mm



SG 2255

SG 2256

SG 6364

SG 6365


SG 6366

SG 10430-34

SG 11303

Optional components:

- SG 2255 Brake
- SG 2256 Brake
- SG 6364 Wave extension
- SG 6365 Wave hanger
- SG 6366 Wave carrier for draw rod
- SG 10430-34 Draw rod
- SG 11303 Wave 2C glider cord 60 mm



SG 3582

SG 6349

SG 6363


SG 10075

SG 10076

Curtain components:

- SG 3582 Hook
- SG 6349 Wave curtain tape
- SG 6363 Wave top hemming tape
- SG 10075 Lead weight 50 gr/m
- SG 10076 Fabric weight

Wave stack depth - 2C glider cord (standard components)










| 2C Glider cord SG 11302 | Pockets between hooks | Approx. curtain fullness | Stack depth A | Stack size B* | Min distance C |
|----------------------------|--------------------------|-----------------------------|------------------|---------------------------|-------------------|
| 80 | 6 | ~2.1 | 140 | 180 per metre of track | 90 |
| 80 | 7 | ~2.3 | 160 | 180 per metre of track | 100 |

| 2C Glider cord SG 11303 | Pockets between hooks | Approx. curtain fullness | Stack depth A | Stack size B* | Min distance C |
|----------------------------|--------------------------|-----------------------------|------------------|---------------------------|-------------------|
| 60 | 4 | ~2.1 | 100 | 230 per metre of track | 70 |
| 60 | 5 | ~2.3 | 120 | 230 per metre of track | 80 |















*Stack size B when using optional extension arm increases by 150 mm per curtain!















PARTS

















A. STANDARD PARTS

| | |
|---|-------------------------------|
|  | SG 3599 Hook |
|  | SG 6065 End stop |
|  | SG 6086 Spring stop |
|  | SG 6103p Profile |
|  | SG 6124 Bracket |
|  | SG 6630 End cover |
|  | SG 11300 2C glider |



B. OPTIONAL PARTS

| | |
|---|--------------------------------------|
|  | SG 2255 Brake |
|  | SG 2256 Brake |
|  | SG 3012 Hook |
|  | SG 3581 Hook |
|  | SG 3582 Hook |
|  | SG 3598 Eyelet |
|  | SG 6004 Eyelet |
|  | SG 6053 Spring stop |
|  | SG 6057 Glider |
|  | SG 6075 End stop with hook |
|  | SG 6082 Glider |
|  | SG 6094 Roller |
|  | SG 6098 Roller |
|  | SG 6117 Slot nut |

| | |
|---|---|
|  | SG 6175 Mini hanger |
|  | SG 6240 Roller |
|  | SG 6283 Roller |
|  | SG 6349 Wave curtain tape |
|  | SG 6363 Wave top hemming tape |
|  | SG 6364 Wave extension |
|  | SG 6365 Wave hanger |
|  | SG 6366 Wave carrier for draw rod |
|  | SG 6635 Connection bridge set |
|  | SG 10075 Lead weight 50 g/m |
|  | SG 10076 Fabric weight |
|  | SG 10430 Draw rod 50 cm |
|  | SG 10431 Draw rod 75 cm |
|  | SG 10432 Draw rod 100 cm |

**SG 10433***Draw rod 125 cm***SG 10434***Draw rod 150 cm***SG 10492***Pan head screw M4x8***SG 11131***Pan head screw with flange M4x6***SG 11154***Universal Smart Fix 120 mm***SG 11155***Universal Smart Fix 150 mm***SG 11156***Universal Smart Fix 200 mm***SG 11206***Smart Fix with slot 60 mm***SG 11207***Smart Fix with slot 80 mm***SG 11208***Smart Fix with slot 100 mm***SG 11216***Square Smart Fix with slot 60 mm***SG 11217***Square Smart Fix with slot 80 mm***SG 11218***Square Smart Fix with slot 100 mm***SG 11295***End stop***SG 11301***2C glider on strip***SG 11302***Wave 2C glider cord 80 mm***SG 11303***Wave 2C glider cord 60 mm***SG 11305***2C glider for direct sewing*

SG 6820



PRODUCT INFORMATION


- **Operation:** hand
- **Range:** S - M
- **Fitting:** ceiling
- **Colours:** white RAL 9016 or anodised aluminum, special colours possible
- **Fabrics:** refer to Silent Gliss fabric collection

Features:

- 2-component (2C) glider technology
- Wave (2C)
- Funnel shaped design
- Bendable

SYSTEM SPECIFICATIONS


A. SYSTEM DIMENSIONS



10 kg

B. PROFILE

Profile and bending information




SG 6821

Profile Funnel

Radius: >27 cm



C. HOW TO MEASURE



A: System width

B: System height

C: Distance between floor and fabric

D. SPECIFICATION

TEXT

EN

Silent Gliss SG 6820 Hand Drawn Curtain Track System. Comprises aluminium profile SG 6821 supplied made to measure in silver anodised or white powder coated, alternatively a specified RAL colour. SG 1130 at 14/m, 2 end covers SG 6823 and 2 SG 6065 stops. Top fixed with brackets SG 11236 max. 500 mm centres. Silent Gliss Wave option is available.

SV

Silent Gliss SG 6820 handdragssystem. Består av aluminiumprofil SG 6821 i specificerad längd i vitlack, alu natur eller angiven RAL färg. 14 st SG 11300 SILENT TRACK glid per meter, 2 st SG 6823 ändskydd samt 2 st SG 6065 vridstopp per system. Takmonteras med fäste SG 11236 c/c 500 mm. Kan användas med system Wave.

NO

Silent Gliss SG 6820 Manuell gardinskinne. Består av aluminiumprofil SG 6821 i spesifisert lengde, standard i hvitlakkert eller alu natur. Kan også leveres i spesifisert RAL farge. 14 stk SG 11300 SILENT TRACK glidere pr meter, 2 stk 6823 endelokk og 2 stk SG 6065 vristopp pr system. Takmonteres med feste SG 11236 c/c 500mm. Kan kombineres med Wave system.


DA

Silent Gliss SG 6820 håndtrukket gardinskinnesystem. Består af en aluminiumprofil SG 6821 i ønsket længde, sølvanodiseret eller hvid pulverlakering, alternativt en specificeret RAL-farve. 14 stk. SG 1130 glidere pr. m og 2 stk. SG 6823 endelåg samt 2 stk. SG 6065 endestop. Loftmonteres med beslagene SG 11236 med højst 500 mm afstand. Kan bruges med Silent Gliss Wave.


FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.



Fitting Tool





A: Funnel fitting tool SG 6827

For fitting / removing of the funnel profile.

B. CEILING FITTING

Clip SG 11236






SG 11236


Clip

SYSTEM OPTIONS

A. WAVE



SG 11295



SG 11302

Standard components:


- SG 11295 End stop
- SG 11302 Wave 2C glider cord 80 mm



SG 2255



SG 2256




SG 6364




SG 6365

Optional components:


- SG 2255 Brake
- SG 2256 Brake
- SG 6364 Wave extension
- SG 6365 Wave hanger
- SG 6366 Wave carrier for draw rod
- SG 10430-34 Draw rod
- SG 11303 Wave 2C glider cord 60 mm



SG 6366




SG 10430-34




SG 11303



SG 3582



SG 6349



SG 6363

Curtain components:

- SG 3582 Hook
- SG 6349 Wave curtain tape
- SG 6363 Wave top hemming tape
- SG 10075 Lead weight 50 gr/m
- SG 10076 Fabric weight




SG 10075



SG 10076

Wave stack depth - 2C glider cord (standard components)










| 2C Glider cord SG 11302 | Pockets between hooks | Approx. curtain fullness | Stack depth A | Stack size B* | Min distance C |
|----------------------------|--------------------------|-----------------------------|------------------|---------------------------|-------------------|
| 80 | 6 | ~2.1 | 140 | 180 per metre of track | 90 |
| 80 | 7 | ~2.3 | 160 | 180 per metre of track | 100 |

| 2C Glider cord SG 11303 | Pockets between hooks | Approx. curtain fullness | Stack depth A | Stack size B* | Min distance C |
|----------------------------|--------------------------|-----------------------------|------------------|---------------------------|-------------------|
| 60 | 4 | ~2.1 | 100 | 230 per metre of track | 70 |
| 60 | 5 | ~2.3 | 120 | 230 per metre of track | 80 |















*Stack size B when using optional extension arm increases
by 150 mm per curtain stack!















PARTS


A. STANDARD PARTS

| | |
|--|----------------------------------|
|  | SG 3599 Hook |
|  | SG 6065 End stop |
|  | SG 6086 Spring stop |
|  | SG 6821 Profile Funnel |
|  | SG 6823 End cover |
|  | SG 11236 Clip |
|  | SG 11300 2C glider |

B. OPTIONAL PARTS

| | |
|---|-------------------------------------|
|  | SG 2255 Brake |
|  | SG 2256 Brake |
|  | SG 3012 Hook |
|  | SG 3582 Hook |
|  | SG 3598 Eyelet |
|  | SG 3802 Connection bridge |
|  | SG 6004 Eyelet |
|  | SG 6005 Hook |
|  | SG 6053 Spring stop |
|  | SG 6057 Glider |
|  | SG 6082 Glider |
|  | SG 6094 Roller |
|  | SG 6098 Roller |
|  | SG 6146 Hook |

| | |
|---|---|
|  | SG 6240 Roller |
|  | SG 6283 Roller |
|  | SG 6349 Wave curtain tape |
|  | SG 6363 Wave top hemming tape |
|  | SG 6364 Wave extension |
|  | SG 6365 Wave hanger |
|  | SG 6366 Wave carrier for draw rod |
|  | SG 10075 Lead weight 50 g/m |
|  | SG 10076 Fabric weight |
|  | SG 10430 Draw rod 50 cm |
|  | SG 10431 Draw rod 75 cm |
|  | SG 10432 Draw rod 100 cm |
|  | SG 10433 Draw rod 125 cm |
|  | SG 10434 Draw rod 150 cm |



SG 11295

End stop



SG 11301

2C glider on strip




SG 11302

Wave 2C glider cord 80 mm



SG 11303



Wave 2C glider cord 60 mm



SG 11305

2C glider for direct sewing

SG 6840



PRODUCT INFORMATION

- **Operation:** hand
- **Range:** M - L
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016, black RAL 9005 or anodised aluminum, special colours possible
- **Fabrics:** refer to Silent Gliss fabric collection


Features:

- 2-component (2C) glider technology
- Wave (2C)
- Bendable

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information




SG 3841

Profile

Radius:
20 cm, >30 cm

B. HOW TO MEASURE



A: System width

B: System height

C: Distance between floor and fabric

C. SPECIFICATION TEXT

EN

Silent Gliss SG 6840 Hand Drawn Curtain Track System. Comprises aluminium profile SG 3841 supplied made to measure in silver anodised or white powder coated, alternatively a specified RAL colour. SG 11130 at 14/m, 2 end covers SG 3842 and 2 SG 6065 stops. Top fixed with brackets SG 3825/3826/3832 max. 500 mm centres. Wall fix SG Smart Fix at max. 500mm centres. Silent Gliss Wave option is available.

SV

Silent Gliss SG 6840 handdragssystem. Består av aluminiumprofil SG 3841 i specificerad längd i vitlack, alu natur eller angiven RAL färg. 14 st SG 11300 SILENT TRACK glid per meter, 2 st SG 3842 ändskydd samt 2 st SG 6065 vridstopp per system. Takmonteras med fäste SG 3825/3826/3832 c/c 500 mm. Vägghmontering med SG Smart Fix c/c 500 mm. Kan användas med system Wave.

NO

Silent Gliss SG 6820 Manuell gardinskinne. Består av aluminiumprofil SG 3841 i spesifisert lengde, standard i hvitlakkert eller alu natur. Kan også leveres i spesifisert RAL farge. 14 stk SG 11300 SILENT TRACK glidere pr meter, 2 stk 3842 endeløkk og 2 stk SG 6065 vristopp pr system. Takmonteres med feste SG 3825/3826/3832 c/c 500 mm. Veggmontering med SG Smart Fix c/c 500 mm. Kan kombineres med Wave system.


DA

Silent Gliss SG 6840 håndtrukket gardinskinnesystem. Består af en aluminiumprofil SG 3841 i ønsket længde, sølvanodiseret eller hvid pulverlakering, alternativt en specificeret RAL-farve. 14 stk. SG 11130 glidere pr. m og 2 stk. SG 3842 endelåg samt 2 stk. SG 6065 endestop. Loftmonteres med beslagene SG 3825/3826/3832 med højst 500 mm afstand. Vægmonteres med SG Smart Fix med en afstand på højst 500 mm. Kan bruges med Silent Gliss Wave.

FITTING



A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.





B. CEILING FITTING

Clamp SG 3825




SG 3825
Clamp


Bracket SG 3826



SG 3826
Bracket

Bracket SG 3832






SG 3832

Bracket


C. WALL FITTING

Smart Fix




Smart Fix SG 11200 - SG 11205 and bracket SG 3826:

Screw SG 10492 (M4x8) needed.




Square Smart Fix SG 11210 - SG 11215 and bracket SG 3826:

Screw SG 10492 (M4x8) needed.



Universal Smart Fix SG 11154 - SG 11156 and bracket SG 3826:


Screw SG 10277 (M4x12) needed.



Smart Fix SG 11200 - SG 11205 and bracket SG 3832:


Screw SG 10492 (M4x8) needed.

| Smart Fix | X mm (SG 3826 / SG 3825) | X mm (SG 3832) |
|---------------------|--------------------------|----------------|
| SG 11200 / SG 11210 | 52 | 70 |
| SG 11201 / SG 11211 | 72 | 90 |
| SG 11202 / SG 11212 | 92 | 110 |
| SG 11203 / SG 11213 | 112 | 130 |
| SG 11204 / SG 11214 | 142 | 160 |
| SG 11205 / SG 11215 | 192 | 210 |
| SG 11154 | 102-130 | 120-148 |
| SG 11155 | 132-160 | 150-178 |
| SG 11156 | 182-210 | 200-228 |




Square Smart Fix SG 11210 - SG 11215 and bracket SG 3832:

Screw SG 10492 (M4x8) needed.




Universal Smart Fix SG 11154 - SG 11156 and bracket SG 3832:

Screw SG 10407 (M4x10) needed.




Smart Fix SG 11200 - SG 11205 and clamp SG 3825:

Screw SG 10074 (M4x8) needed.




Square Smart Fix SG 11210 - SG 11215 and clamp SG 3825:

Screw SG 10074 (M4x8) needed.




Universal Smart Fix SG 11154 - SG 11156 and bracket SG 3825:


Screw SG 11158 (M4x12) needed.



SG 3825
Clamp



SG 3826
Bracket



SG 3832
Bracket



SG 10074
Countersunk head screw
M4x8



SG 10277
Pan head screw M4x12




SG 10407
Pan head screw M4x10




SG 10492
Pan head screw M4x8




SG 11158
Countersunk head screw
M4x12




SG 11200
Smart Fix 60 mm




SG 11201
Smart Fix 80 mm




SG 11202
Smart Fix 100 mm




SG 11203
Smart Fix 120 mm




SG 11204
Smart Fix 150 mm




SG 11205
Smart Fix 200 mm




SG 11210
Square Smart Fix 60 mm




SG 11211
Square Smart Fix 80 mm




SG 11212
Square Smart Fix 100 mm




SG 11213
Square Smart Fix 120 mm




SG 11214
Square Smart Fix 150 mm




SG 11215
Square Smart Fix 200 mm



SG 11154
Universal Smart Fix 120 mm





SG 11155
Universal Smart Fix 150 mm



SG 11156
Universal Smart Fix 200 mm

Bracket SG 3836







SG 3836
Bracket

SYSTEM OPTIONS

A. WAVE



SG 11295



SG 11302

Standard components:


- SG 11295 End stop
- SG 11302 Wave 2C glider cord 80 mm



SG 2255



SG 2256




SG 6364



SG 6365

Optional components (min. radius: >30 cm):


- SG 2255 Brake
- SG 2256 Brake
- SG 6364 Wave extension
- SG 6365 Wave hanger
- SG 6366 Wave carrier for draw rod
- SG 10430-34 Draw rod
- SG 11303 Wave 2C glider cord 60 mm



SG 6366




SG 10430-34




SG 11303



SG 3582




SG 6349



SG 6363

Curtain components:

- SG 3582 Hook
- SG 6349 Wave curtain tape
- SG 6363 Wave top hemming tape
- SG 10075 Lead weight 50 gr/m
- SG 10076 Fabric weight




SG 10075



SG 10076

Wave stack depth - 2C glider cord (standard components)










| 2C Glider cord SG 11302 | Pockets between hooks | Approx. curtain fullness | Stack depth A | Stack size B* | Min distance C |
|----------------------------|--------------------------|-----------------------------|------------------|---------------------------|-------------------|
| 80 | 6 | ~2.1 | 140 | 180 per metre of track | 90 |
| 80 | 7 | ~2.3 | 160 | 180 per metre of track | 100 |

| 2C Glider cord SG 11303 | Pockets between hooks | Approx. curtain fullness | Stack depth A | Stack size B* | Min distance C |
|----------------------------|--------------------------|-----------------------------|------------------|---------------------------|-------------------|
| 60 | 4 | ~2.1 | 100 | 230 per metre of track | 70 |
| 60 | 5 | ~2.3 | 120 | 230 per metre of track | 80 |





























*Stack size B when using optional extension arm increases
by 150 mm per curtain stack!





























PARTS

A. STANDARD PARTS


| | |
|---|-------------------------------|
|  | SG 3599 Hook |
|  | SG 3825 Clamp |
|  | SG 3841 Profile |
|  | SG 3842 End cover |
|  | SG 6065 End stop |
|  | SG 6086 Spring stop |
|  | SG 11300 2C glider |

B. OPTIONAL PARTS

| | | | |
|---|-------------------------------------|---|--|
|  | SG 2255 Brake |  | SG 6064 End stop |
|  | SG 2256 Brake |  | SG 6082 Glider |
|  | SG 3012 Hook |  | SG 6094 Roller |
|  | SG 3581 Hook |  | SG 6098 Roller |
|  | SG 3582 Hook |  | SG 6099 Wave roller cord 80 mm |
|  | SG 3598 Eyelet |  | SG 6240 Roller |
|  | SG 3802 Connection bridge |  | SG 6283 Roller |
|  | SG 3826 Bracket |  | SG 6349 Wave curtain tape |
|  | SG 3832 Bracket |  | SG 6363 Wave top hemming tape |
|  | SG 3836 Bracket |  | SG 6364 Wave extension |
|  | SG 6004 Eyelet |  | SG 6365 Wave hanger |
|  | SG 6005 Hook |  | SG 6366 Wave carrier for draw rod |
|  | SG 6053 Spring stop |  | SG 10074 Countersunk head screw M4x8 |
|  | SG 6057 Glider |  | SG 10075 Lead weight 50 g/m |

**SG 10076***Fabric weight***SG 10277***Pan head screw M4x12***SG 10407***Pan head screw M4x10***SG 10430***Draw rod 50 cm***SG 10431***Draw rod 75 cm***SG 10432***Draw rod 100 cm***SG 10433***Draw rod 125 cm***SG 10434***Draw rod 150 cm***SG 10492***Pan head screw M4x8***SG 11154***Universal Smart Fix 120 mm***SG 11155***Universal Smart Fix 150 mm***SG 11156***Universal Smart Fix 200 mm***SG 11158***Countersunk head screw M4x12***SG 11200***Smart Fix 60 mm***SG 11201***Smart Fix 80 mm***SG 11202***Smart Fix 100 mm***SG 11203***Smart Fix 120 mm***SG 11204***Smart Fix 150 mm***SG 11205***Smart Fix 200 mm***SG 11210***Square Smart Fix 60 mm***SG 11211***Square Smart Fix 80 mm***SG 11212***Square Smart Fix 100 mm***SG 11213***Square Smart Fix 120 mm***SG 11214***Square Smart Fix 150 mm***SG 11215***Square Smart Fix 200 mm***SG 11295***End stop***SG 11301***2C glider on strip***SG 11302***Wave 2C glider cord 80 mm***SG 11303***Wave 2C glider cord 60 mm***SG 11305***2C glider for direct sewing*

SG 6870



PRODUCT INFORMATION

- **Operation:** hand
- **Range:** M - L
- **Fitting:** ceiling, wall, recess
- **Colours:** white RAL 9016, black RAL 9005 or anodised aluminum, special colours possible (recess profile only in white RAL 9016, black RAL 9005 or special color)
- **Fabrics:** refer to Silent Gliss fabric collection


Features:

- 2-component (2C) glider technology
- Wave (2C)
- Bendable
- Bendable recess profile

SYSTEM SPECIFICATIONS


A. PROFILE

Profile and bending information



SG 11190

Profile




SG 11230

Recess profile



B. HOW TO MEASURE



A: System width

B: System height

C: Distance between floor and fabric

C. SPECIFICATION TEXT

EN

Silent Gliss SG 6870 Hand Drawn Curtain Track System. Comprises aluminium profile SG 11190 supplied made to measure in silver anodised or white powder coated, alternatively a specified RAL colour. SG 11130 at 14/m, 2 end covers SG 11233 and 2 SG 6065 stops. Top fixed with brackets SG 3825/3826/3832 max. 500 mm centres. Wall fix SG Smart Fix at max. 500mm centres. Silent Gliss Wave option is available. Optional recess profile SG 11230.

SV

Silent Gliss SG 6870 handdragssystem. Består av aluminiumprofil SG 11190 i specificerad längd i vitlack, alu natur eller angiven RAL färg. Kan användas med system Wave. 14 st SG 11300 SILENT TRACK glid per meter, 2 st SG 11233 ändskydd samt 2 st SG 6065 vridstopp per system. Takmonteras med fäste SG 3825/3826/3832 c/c 500 mm. Vägghmontering med SG Smart Fix c/c 500 mm. Kan kombineras med Wave. Kan levereras med infällningsprofil SG 11230.

NO

Silent Gliss SG 6870 Manuell gardinskinne. Består av aluminiumprofil SG 11190 i spesifisert lengde, standard i hvitlakkert eller alu natur. Kan også leveres i spesifisert RAL farge. 14 stk SG 11300 SILENT TRACK glidere pr meter, 2 stk 11233 endelokk og 2 stk SG 6065 vristopp pr system. Takmonteres med feste SG 3825/3826/3832 c/c 500mm. Veggmontering med SG Smart Fix c/c 500 mm. Kan kombineres med Wave system. Kan leveres med profil for innfelling SG 11230.

DA


Silent Gliss SG 6870 håndtrukket gardinskinnesystem. Består af en aluminiumprofil SG 11190 i ønsket længde, sølvanodiseret eller hvid pulverlakering, alternativt en specificeret RAL-farve. 14 stk. SG 11130 glidere pr. m og 2 stk. SG 11233 endelæg samt 2 stk. SG 6065 endestop. Loftmonteres med beslagene SG 3825/3826/3832 med højst 500 mm afstand. Vægmonteres med SG Smart Fix med en afstand på højst 500 mm. Kan bruges med Silent Gliss Wave. Kan leveres med indfældningsprofil SG 11230.

FITTING

A. FITTING INFORMATION



For detailed fitting information, visit the Silent Gliss website.

Fixing points





B. CEILING FITTING

Clamp SG 3825




SG 3825
Clamp


Bracket SG 3826



SG 3826
Bracket

Bracket SG 3832






SG 3832

Bracket


C. WALL FITTING

Smart Fix




Smart Fix SG 11200 - SG 11205 and bracket SG 3826:

Screw SG 10492 (M4x8) needed.




Square Smart Fix SG 11210 - SG 11215 and bracket SG 3826:

Screw SG 10492 (M4x8) needed.



Universal Smart Fix SG 11154 - SG 11156 and bracket SG 3826:


Screw SG 10277 (M4x12) needed.



Smart Fix SG 11200 - SG 11205 and bracket SG 3832:


Screw SG 10492 (M4x8) needed.

| Smart Fix | X mm (SG 3826 / SG 3825) | X mm (SG 3832) |
|---------------------|--------------------------|----------------|
| SG 11200 / SG 11210 | 52 | 70 |
| SG 11201 / SG 11211 | 72 | 90 |
| SG 11202 / SG 11212 | 92 | 110 |
| SG 11203 / SG 11213 | 112 | 130 |
| SG 11204 / SG 11214 | 142 | 160 |
| SG 11205 / SG 11215 | 192 | 210 |
| SG 11154 | 102-130 | 120-148 |
| SG 11155 | 132-160 | 150-178 |
| SG 11156 | 182-210 | 200-228 |




Square Smart Fix SG 11210 - SG 11215 and bracket SG 3832:

Screw SG 10492 (M4x8) needed.




Universal Smart Fix SG 11154 - SG 11156 and bracket SG 3832:

Screw SG 10407 (M4x10) needed.




Smart Fix SG 11200 - SG 11205 and clamp SG 3825:

Screw SG 10074 (M4x8) needed.






Square Smart Fix SG 11210 - SG 11215 and clamp SG 3825:

Screw SG 10074 (M4x8) needed.



Universal Smart Fix SG 11154 - SG 11156 and bracket SG 3825:

Screw SG 11158 (M4x12) needed.



SG 3825
Clamp

SG 3826
Bracket

SG 3832
Bracket

SG 10074
Countersunk head screw
M4x8



SG 10277
Pan head screw M4x12




SG 10407
Pan head screw M4x10




SG 10492
Pan head screw M4x8




SG 11158
Countersunk head screw
M4x12




SG 11200
Smart Fix 60 mm




SG 11201
Smart Fix 80 mm




SG 11202
Smart Fix 100 mm




SG 11203
Smart Fix 120 mm




SG 11204
Smart Fix 150 mm




SG 11205
Smart Fix 200 mm




SG 11210
Square Smart Fix 60 mm




SG 11211
Square Smart Fix 80 mm




SG 11212
Square Smart Fix 100 mm




SG 11213
Square Smart Fix 120 mm




SG 11214
Square Smart Fix 150 mm




SG 11215
Square Smart Fix 200 mm



SG 11154
Universal Smart Fix 120 mm





SG 11155
Universal Smart Fix 150 mm



SG 11156
Universal Smart Fix 200 mm

Bracket SG 3836







SG 3836
Bracket

D. RECESS FITTING


Recess profile
SG 11230




One wedge SG 10157 per fixing point.
For detailed recess fitting, visit the Silent Gliss website.



SG 11230
Recess profile




SG 11238
Recess Mask




SG 10157
Wedge

SYSTEM OPTIONS

A. WAVE




SG 11295



SG 11302


Standard components:

- SG 11295 End stop
- SG 11302 Wave 2C glider cord 80 mm



Optional components:


- SG 2255 Brake
- SG 2256 Brake
- SG 6364 Wave extension
- SG 6365 Wave hanger
- SG 6366 Wave carrier for draw rod
- SG 10430-34 Draw rod
- SG 11303 Wave 2C glider cord 60 mm



Curtain components:

- SG 3582 Hook
- SG 6349 Wave curtain tape
- SG 6363 Wave top hemming tape
- SG 10075 Lead weight 50 gr/m
- SG 10076 Fabric weight

Wave stack depth - 2C glider cord (standard components)



A = Stack depth
B = Stack size
C = Min. distance








| 2C Glider cord SG 11302 | Pockets between hooks | Approx. curtain fullness | Stack depth A | Stack size B* | Min distance C |
|----------------------------|--------------------------|-----------------------------|------------------|---------------------------|-------------------|
| 80 | 6 | ~2.1 | 140 | 180 per metre of track | 90 |
| 80 | 7 | ~2.3 | 160 | 180 per metre of track | 100 |

| 2C Glider cord SG 11303 | Pockets between hooks | Approx. curtain fullness | Stack depth A | Stack size B* | Min distance C |
|----------------------------|--------------------------|-----------------------------|------------------|---------------------------|-------------------|
| 60 | 4 | ~2.1 | 100 | 230 per metre of track | 70 |
| 60 | 5 | ~2.3 | 120 | 230 per metre of track | 80 |





























*Stack size B when using optional extension arm increases by 150 mm per curtain stack!



























PARTS

A. STANDARD PARTS



| | |
|---|-------------------------------|
|  | SG 3599 Hook |
|  | SG 3825 Clamp |
|  | SG 6065 End stop |
|  | SG 6086 Spring stop |
|  | SG 11190 Profile |
|  | SG 11233 End cover |
|  | SG 11300 2C glider |

B. OPTIONAL PARTS

| | | | |
|---|-------------------------------------|---|---|
|  | SG 2255 Brake |  | SG 6057 Glider |
|  | SG 2256 Brake |  | SG 6064 End stop |
|  | SG 3012 Hook |  | SG 6082 Glider |
|  | SG 3555 Hook |  | SG 6094 Roller |
|  | SG 3581 Hook |  | SG 6098 Roller |
|  | SG 3582 Hook |  | SG 6099 Wave roller cord 80 mm |
|  | SG 3598 Eyelet |  | SG 6146 Hook |
|  | SG 3802 Connection bridge |  | SG 6240 Roller |
|  | SG 3826 Bracket |  | SG 6283 Roller |
|  | SG 3832 Bracket |  | SG 6349 Wave curtain tape |
|  | SG 3836 Bracket |  | SG 6363 Wave top hemming tape |
|  | SG 6004 Eyelet |  | SG 6364 Wave extension |
|  | SG 6005 Hook |  | SG 6365 Wave hanger |
|  | SG 6053 Spring stop |  | SG 6366 Wave carrier for draw rod |

**SG 10074***Countersunk head screw M4x8***SG 11156***Universal Smart Fix 200 mm***SG 11230***Recess profile***SG 10075***Lead weight 50 g/m***SG 11158***Countersunk head screw M4x12***SG 11238***Recess Mask***SG 10076***Fabric weight***SG 11200***Smart Fix 60 mm***SG 11295***End stop***SG 10157***Wedge***SG 11201***Smart Fix 80 mm***SG 11301***2C glider on strip***SG 10277***Pan head screw M4x12***SG 11202***Smart Fix 100 mm***SG 11302***Wave 2C glider cord 80 mm***SG 10407***Pan head screw M4x10***SG 11203***Smart Fix 120 mm***SG 11303***Wave 2C glider cord 60 mm***SG 10430***Draw rod 50 cm***SG 11204***Smart Fix 150 mm***SG 11305***2C glider for direct sewing***SG 10431***Draw rod 75 cm***SG 11205***Smart Fix 200 mm***SG 10432***Draw rod 100 cm***SG 11210***Square Smart Fix 60 mm***SG 10433***Draw rod 125 cm***SG 11211***Square Smart Fix 80 mm***SG 10434***Draw rod 150 cm***SG 11212***Square Smart Fix 100 mm***SG 10492***Pan head screw M4x8***SG 11213***Square Smart Fix 120 mm***SG 11154***Universal Smart Fix 120 mm***SG 11214***Square Smart Fix 150 mm***SG 11155***Universal Smart Fix 150 mm***SG 11215***Square Smart Fix 200 mm*

SG 6970



PRODUCT INFORMATION

- **Operation:** hand
- **Range:** M - L
- **Fitting:** ceiling, wall, recess
- **Colours:** white RAL 9016, black RAL 9005 or anodised aluminum, special colours possible (recess profile only in white RAL 9016, black RAL 9005 or special color)
- **Fabrics:** refer to Silent Gliss fabric collection


Features:

- 2-component (2C) roller technology
- Wave (2C)
- Bendable
- Bendable recess profile

SYSTEM SPECIFICATIONS


A. PROFILE

Profile and bending information



SG 10850

Profile




SG 10862

Recess profile



B. HOW TO MEASURE



- A: System width
- B: System height
- C: Distance between floor and fabric

C. SPECIFICATION TEXT

EN

Silent Gliss SG 6970 Hand Drawn Curtain Track System. Comprises aluminium profile SG 10850 supplied made to measure in silver anodised or white powder coated, alternatively a specified RAL colour. SG 10840 at 10/m, 2 end covers SG 11235. Top fixed with brackets SG 3004/3041 max. 500 mm centres. Wall fix SG Smart Fix at max. 500 mm centres. Optional recess profile SG 10862. Silent Gliss Wave option is available.

SV

Silent Gliss SG 6970 handdragssystem. Består av aluminiumprofil SG 10850 i specificerad längd i vitlack, alu natur eller angiven RAL färg. 10 st SG 10840 glid per meter, 2 st SG 11235 ändskydd per system. Takmonteras med fäste SG 3004/3041 c/c 500 mm. Vägmontering med SG Smart Fix c/c 500 mm. Kan levereras med infällningsprofil SG 10862. Kan användas med system Wave.

NO

Silent Gliss SG 6970 Manuell gardinskinne. Består av aluminiumprofil SG 10850 i spesifisert lengde, standard i hvitlakkert eller alu natur. Kan også leveres i spesifisert RAL farge. 10 stk SG 10840 glidere pr meter, 2 stk 11235 endelokk pr system. Takmonteres med feste SG 3004/3041 c/c 500 mm. Veggmontering med SG Smartfix c/c 500 mm. Kan leveres med profil for innfelling SG 10862. Kan kombineres med Wave system.

DA


Silent Gliss SG 6970 håndtrukket gardinskinnesystem. Består af en aluminiumprofil SG 10850 i ønsket længde, sølvanodiseret eller hvid pulverlakering, alternativt en specificeret RAL-farve. 10 stk. SG 10840 pr. m og 2 stk. SG 11235 endelåg. Loftmonteres med beslagene SG 3004/3041 højst 500 mm afstand. Vægmonteres med SG Smart Fix med en afstand på højst 500 mm. Kan leveres med indfældningsprofil SG 10862. Kan bruges med Silent Gliss Wave.

FITTING

A. FITTING INFORMATION



For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. CEILING FITTING



Clamp SG 3004



SG 3004


Clamp

Direct fitting



SG 7002



Profile protector



SG 10865

Support plate

Bracket SG 3041




SG 3041


Bracket

C. WALL FITTING


Smart Fix




Smart Fix SG 11200 - SG 11205 and bracket SG 3041:
Screw SG 10492 (M4x8) needed.



Square Smart Fix SG 11210 - SG 11215 and bracket SG 3041:
Screw SG 10492 (M4x8) needed.




Universal Smart Fix SG 11154 - SG 11156 and bracket SG 3041:
Screw SG 10407 (M4x10) needed.




Smart Fix SG 11201 - SG 11205 and clamp SG 3004:
Screw SG 10074 (M4x8) needed.

| Smart Fix | X mm (SG 3041) | X mm (SG 3004) |
|---------------------|----------------|----------------|
| SG 11200 / SG 11210 | 83 | |
| SG 11201 / SG 11211 | 103 | 72 |
| SG 11202 / SG 11212 | 123 | 92 |
| SG 11203 / SG 11213 | 143 | 112 |
| SG 11204 / SG 11214 | 173 | 142 |
| SG 11205 / SG 11215 | 223 | 192 |
| SG 11154 | 128-156 | 102-130 |
| SG 11155 | 158-186 | 132-160 |
| SG 11156 | 208-236 | 182-210 |




**Square Smart Fix SG 11211 - SG 11215 and clamp
SG 3004:**

Screw SG 10074 (M4x8) needed.




**Universal Smart Fix SG 11154 - SG 11156 and clamp
SG 3004:**

Screw SG 11158 (M4x12) needed.



SG 3004
Clamp



SG 3041
Bracket



SG 10074
Countersunk head screw
M4x8




SG 10407
Pan head screw M4x10




SG 10492
Pan head screw M4x8




SG 11158
Countersunk head screw
M4x12




SG 11200
Smart Fix 60 mm




SG 11201
Smart Fix 80 mm




SG 11202
Smart Fix 100 mm




SG 11203
Smart Fix 120 mm




SG 11204
Smart Fix 150 mm




SG 11205
Smart Fix 200 mm




SG 11210
Square Smart Fix 60 mm




SG 11211
Square Smart Fix 80 mm




SG 11212
Square Smart Fix 100 mm




SG 11213
Square Smart Fix 120 mm




SG 11214
Square Smart Fix 150 mm




SG 11215
Square Smart Fix 200 mm



SG 11154
Universal Smart Fix 120 mm




SG 11155
Universal Smart Fix 150 mm




SG 11156
Universal Smart Fix 200 mm

D. RECESS FITTING


Recess profile SG 10862




One wedge SG 5118 per fixing point.
For detailed recess fitting, visit the Silent Gliss website.



SG 10862
Recess profile




SG 10864
Recess mask




SG 5118
Wedge

E. SUSPENDED FITTING

Hanger SG 6105







SG 6105

Hanger with plate

V-hanger SG 6107




SG 6107


V-Hanger with plate

SYSTEM OPTIONS

A. WAVE




SG 11295



SG 10852

Standard components:


- SG 11295 End stop
- SG 10852 Wave 2C roller cord 80 mm



SG 10869

Optional components:


- SG 10869 Wave 2C roller cord 60 mm



Curtain components:

- SG 3582 Hook
- SG 6349 Wave curtain tape
- SG 6363 Wave top hemming tape
- SG 10075 Lead weight 50 gr/m
- SG 10076 Fabric weight

Wave stack depth - 2C roller cord (standard components)









A = Stack depth
B = Stack size
C = Min. distance

| 2C Roller cord SG 10852 | Pockets between hooks | Approx. curtain fullness | Stack depth A | Stack size B | Min distance C |
|----------------------------|--------------------------|-----------------------------|------------------|---------------------------|-------------------|
| 80 | 6 | ~2.1 | 140 | 210 per metre of track | 90 |
| 80 | 7 | ~2.3 | 160 | 210 per metre of track | 100 |





























| 2C Roller cord SG 10869 | Pockets between hooks | Approx. curtain fullness | Stack depth A | Stack size B | Min distance C |
|----------------------------|--------------------------|-----------------------------|------------------|---------------------------|-------------------|
| 60 | 4 | ~2.1 | 100 | 260 per metre of track | 70 |
| 60 | 5 | ~2.3 | 120 | 260 per metre of track | 80 |


PARTS

A. STANDARD PARTS

| | |
|--|--------------------------------|
|  | SG 3004 Clamp |
|  | SG 3581 Hook |
|  | SG 10840 2C roller |
|  | SG 10850 Profile |
|  | SG 11235 End cover |
|  | SG 11465 Spring stop |

B. OPTIONAL PARTS

| | | | |
|---|--|---|---|
|  | SG 3012 Hook |  | SG 10831 Connection bridge |
|  | SG 3041 Bracket |  | SG 10852 Wave 2C roller cord 80 mm |
|  | SG 3582 Hook |  | SG 10862 Recess profile |
|  | SG 5118 Wedge |  | SG 10864 Recess mask |
|  | SG 6105 Hanger with plate |  | SG 10865 Support plate |
|  | SG 6107 V-Hanger with plate |  | SG 10869 Wave 2C roller cord 60 mm |
|  | SG 6349 Wave curtain tape |  | SG 11154 Universal Smart Fix 120 mm |
|  | SG 6363 Wave top hemming tape |  | SG 11155 Universal Smart Fix 150 mm |
|  | SG 7002 Profile protector |  | SG 11156 Universal Smart Fix 200 mm |
|  | SG 10074 Countersunk head screw M4x8 |  | SG 11158 Countersunk head screw M4x12 |
|  | SG 10075 Lead weight 50 g/m |  | SG 11200 Smart Fix 60 mm |
|  | SG 10076 Fabric weight |  | SG 11201 Smart Fix 80 mm |
|  | SG 10407 Pan head screw M4x10 |  | SG 11202 Smart Fix 100 mm |
|  | SG 10492 Pan head screw M4x8 |  | SG 11203 Smart Fix 120 mm |




SG 11204

Smart Fix 150 mm




SG 11205

Smart Fix 200 mm




SG 11210

Square Smart Fix 60 mm




SG 11211

Square Smart Fix 80 mm




SG 11212

Square Smart Fix 100 mm




SG 11213

Square Smart Fix 120 mm




SG 11214

Square Smart Fix 150 mm



SG 11215

Square Smart Fix 200 mm



SG 11295

End stop

The Architects of Silence

Silent Gliss is the leading global supplier of premium interior window treatments. Since 1952 we have been tirelessly committed to the development of the worlds` smoothest, quietest systems using state of the art technology.

Driven by customer needs, Silent Gliss offers functional and durable products. Expert technical advice coupled with installation and support services complete the offer. Silent Gliss stands for innovative, sustainable, tailor made solutions, exceptional design and first-class quality.

Silent Gliss Nordic AB

Travbanegatan 9
213 77 Malmö
Sweden
T +46 40 55 52 50
info@silentgliss.se

Byggdøy Allé 111A
0273 Oslo
Norway
T +47 24 11 80 60
info@silentgliss.no

Denmark
T +45 36 77 67 00
info@silentgliss.dk

silentgliss.se
silentgliss.no
silentgliss.dk