



SG 2345



PRODUCT INFORMATION


- **Operation:** motorised (battery operated)
- **Range:** S - M
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016
- **Fabrics:** refer to Silent Gliss fabric collection

Features:

- Various control options
- Easy exchange of batteries
- Enclosed headrail

SYSTEM SPECIFICATIONS


A. SYSTEM DIMENSIONS



6 m



60 cm




6 m




2.5 kg

B. PROFILE


Profile information




SG 2351
Profile



SG 2352
Profile ø 50 mm




SG 2004
Bottom bar 20x7 mm



SG 2006
Bottom bar 28x3 mm




SG 2135
Rod steel ø 3 mm



SG 2137
Rod fiberglass ø 4 mm

C. HOW TO MEASURE



A: System width
B: System height

D. SPECIFICATION

TEXT

EN

Silent Gliss SG 2345 Roman Blind Headrail System with battery driven motor. Comprises headrail SG 2351 made to measure and powder coated in white. Profile SG 2352 with cord holder SG 2358 and detachable cord lock SG 2357 for easy dismantling when washing the fabric. Cord SG 2216. Integral motor SG 11076 and battery pack SG 11077 with 8 no. lithium batteries SG 11099. To be supplied with radio wall or hand held transmitter SG 10146-48 / SG 10949-51. Top fix using clip bracket SG 3003. Wall fix with SG Smart Fix and SG 3003 / SG 2521 at max. 90cm between fixing points. Fabric to be attached to headrail profile using loop tape. Fabric make up according to type A-D in the system description. For hardfold, the curtain should be delivered with rods SG2144 / SG 2135 / SG 2135. Child Safety components included, compliant to Child Safety Legislation EN 13120. Fabric to be chosen from the Silent Gliss fabric range, Price Groups 1-4.

SV

Silent Gliss SG 2345 hissgardinsystem med toppkassett och batteridrivna motor. Levereras komplett i specificerat mått innefattande kassett SG SG 2351 vitlack. Profil SG 2352 med linnehållare SG2358 med avtagbart linlås 2357 för enkel nermontering av gardinen utan behov av omräddning efter tvätt. Lina SG2216). Integrerad motor SG 11076 och batterihållare SG 11077 med 8 st. lithium batterier SG 11099. Att levereras med fjärrkontroll med radio handhållen / för väggmontage SG 10146-48 / SG 10949-51. Takmontering med SG 3003. Vägmontering med SG Smart Fix i kombination med SG 3003 / SG 2521. Max. c/c 900 mellan fästpunkter. Textil fästes mot kassett med kardborreteape. Sömnad typ A-D enligt systembeskrivning. Gardin med tvärstag levereras med tvärstag SG 2144 / SG 2137 / SG 2135. Barnsäkerhetsdetaljer inkluderade vilka uppfyller barnsäkerhetsnorm EN 13120. Textil från Silent Gliss textilprogram i prisgrupp 1-4.

NO

Silent Gliss SG2345 batteridrevet liftgardin med toppkasse. Leveres komplett på spesifisert mål. Består av kassett SG2351 hvitlakkert. Profil SG2353, med avtagbar snorlås SG2357 for enkel demontering, og for å unngå ny trekking av tråder etter vask. Snor SG2216. Integrert motor SG11076 og batteriholder SG11077 med 8 stk lithium batterier AS11099. Leveres med (fjernkontroll) radio mobil/veggmontert SG10146-48/SG10949-51. Takmontering med SG3003. Veggmontering SG Smart fix i kombinasjon med SG3003/SG2521. Max c/c 900 mellom festepunktene. Tekstilen festes i kassetten med borrelås. Søm type A-D i.h.t. systembeskrivelse. Gardiner med spiler leveres med spile SG2144/SG2137/SG2135. Oppfyller krave til barnesikkerhetsnormen EN13120. Tekstiler fra Silent Gliss tekstilprogram i prisgruppe 1-4.

DA


Silent Gliss SG 2345 rullegardinsystem med toppkassette og batteridreven motor. Består af toppkassette SG 2351 i specificerede mål og med hvid pulverlakering. Profil SG 2352 med snorholder SG 2358 og aftagelig snorlås SG 2357, så det er nemt at skille ad, når stoffet skal vaskes. Snor SG 2216. Integeret motor SG 11076 og batteripakke SG 11077 med 8 stk. litiumbatterier SG 11099. Leveres med radio væg- eller håndholdt sender SG 10146-48 / SG 10949-51. Fastgøres i loftet med clipsbeslag SG 3003. Vægmonteres med SG Smart Fix og SG 3003 / SG 2521 med en afstand på 90 cm mellem fastgøringspunkterne. Stoffet fastgøres til kassetten med burrelås. Stoffets søm i henhold til type A-D i systembeskrivelsen. Gardin med tværstang bør leveres med stængerne SG2144 / SG 2135 / SG 2135. Børnesikkerhedskomponenter medfølger. Overholder lovgivning om børnesikkerhed efter EN 13120. Stoffet vælges fra Silent Gliss stofprogrammet, prisgrupper 1-4.

FITTING

A. FITTING INFORMATION



Fixing points

For detailed fitting information, visit the Silent Gliss website.



B. CEILING FITTING



Clamp SG 3003



SG 3003

Clamp

Bracket SG 2521





SG 2521

Bracket

C. WALL FITTING


Bracket SG 2363




SG 2363

Bracket 68 mm


Smart Fix



Smart Fix SG 11200 - SG 11204 and bracket SG 2521:
Screw SG 10395 (M4x6) needed.




Square Smart Fix SG 11210 - SG 11214 and bracket SG 2521:
Screw SG 10395 (M4x6) needed.



Universal Smart Fix SG 11154 - SG 11156 and bracket SG 2521:
Screw SG 10492 (M4x8) needed.

Smart Fix	X mm
SG 11200 / SG 11210	80-84
SG 11201 / SG 11211	100-104
SG 11202 / SG 11212	120-124
SG 11203 / SG 11213	140-144
SG 11204 / SG 11214	170-174
SG 11154	134-162
SG 11155	164-192
SG 11156	214-242




SG 2521
Bracket




SG 10395
Pan head screw M4x6




SG 10492
Pan head screw M4x8




SG 11200
Smart Fix 60 mm




SG 11201
Smart Fix 80 mm




SG 11202
Smart Fix 100 mm




SG 11203
Smart Fix 120 mm




SG 11204
Smart Fix 150 mm




SG 11210
Square Smart Fix 60 mm




SG 11211
Square Smart Fix 80 mm




SG 11212
Square Smart Fix 100 mm




SG 11213
Square Smart Fix 120 mm




SG 11214
Square Smart Fix 150 mm



SG 11154
Universal Smart Fix 120 mm




SG 11155
Universal Smart Fix 150 mm



SG 11156
Universal Smart Fix 200 mm


SYSTEM OPTIONS

A. FABRIC MAKE-UP




Type A

- A: Loop tape SG 3074
- B: Cord SG 2216
- C: Child safety hook set SG 3164
- D: Hollow hem
- E: Bottom bar SG 2004
- F: Child safety: max. distance 200 mm



Type B


- A: Hollow hem
- B: Child safety eyelet hard fold SG 3069
- C: Rod SG 2135
- D: Cord SG 2216
- E: Child safety hook set SG 3164



Type C

- A: Child safety eyelet set SG 3161
- B: Tube SG 2135 / SG 2137
- C: Cord SG 2216
- D: Child safety hook set SG 3164
- E: Option: tube SG 2135 / SG 2137 can be installed to room side

B. BATTERY EXCHANGE



MOTOR & CONTROLS

A. MOTOR FEATURES

Motor	SG 11076
Motor Features	
Soft start / stop	•
Built-in receiver	•
Electronic end-stop	•
Electronic revolution counter (unlimited revolution)	•
IP class	IP 44
Control Features	
SG Control A	•

B. MOTOR

SPECIFICATIONS


Motor	Min. system width	Voltage	Current	Speed	Frequency receiver
SG 11076	60 cm	12 V DC	0.55 A	30 rpm	433 MHz

C. OPERATION

METHODS

See catalogue "controls" for details.















SG Control A




























Various radio hand-held and wall transmitters available.


PARTS

A. STANDARD PARTS

	SG 2004 Bottom bar 20x7 mm
	SG 2216 Cord ø 0.85 mm
	SG 2221 Velcro tape
	SG 2351 Profile
	SG 2352 Profile ø 50 mm
	SG 2353 End cover
	SG 2354 End cover
	SG 2357 Pin
	SG 2358 Shell
	SG 2359 Support
	SG 2361 Tube adapter
	SG 2368 Motor plate
	SG 2539 Tape
	SG 3003 Clamp

B. OPTIONAL PARTS


	SG 3164 Child safety hook set		SG 2006 Bottom bar 28x3 mm
	SG 10139 Countersunk screw 2.9x6.5		SG 2135 Rod steel ø 3 mm
	SG 10467 Countersunk head screw 2.9x13		SG 2137 Rod fiberglass ø 4 mm
	SG 10946 Radio hand held 1 channel		SG 2363 Bracket 68 mm
	SG 11071 Motor drive		SG 2521 Bracket
	SG 11074 Tube adapter		SG 3055 Hook
	SG 11076 Motor 12V DC, 1.2/30		SG 3074 Loop tape
	SG 11077 Battery box		SG 3161 Child safety eyelet set
	SG 11085 Battery box holder		SG 10395 Pan head screw M4x6
	SG 11099 AA Energizer Ultimate lithium batteries		SG 10492 Pan head screw M4x8
	SG 11103 Warning sticker		SG 10947 Radio hand held 2+1 channel
			SG 10948 Radio hand held 6+1 channel
			SG 10949 Radio wall transmitter 1 channel
			SG 10950 Radio wall transmitter 2 channel




SG 10951
Radio wall transmitter 5+1 channel




SG 11482
Ring




SG 11154
Universal Smart Fix 120 mm




SG 11155
Universal Smart Fix 150 mm




SG 11156
Universal Smart Fix 200 mm




SG 11200
Smart Fix 60 mm




SG 11201
Smart Fix 80 mm




SG 11202
Smart Fix 100 mm




SG 11203
Smart Fix 120 mm




SG 11204
Smart Fix 150 mm




SG 11210
Square Smart Fix 60 mm




SG 11211
Square Smart Fix 80 mm



SG 11212
Square Smart Fix 100 mm



SG 11213
Square Smart Fix 120 mm



SG 11214
Square Smart Fix 150 mm

