


# ROOM DIVIDER/ CUBICLE TRACK SYSTEMS



# GENERAL NOTES

## **Dimensions**

- *Measurements are in mm except where indicated.*
- *Max. kg relates to fabric incl. accessories.*
- *Stack size depends on curtain make-up and fabric thickness.*
- *Distance between gliders max. 80 mm / distance between rollers max. 100 mm.*
- *Recommended distance floor / fabric: 20 mm.*
- *In order to determine system height (B), the smallest room height must be taken into account.*

## **Fitting**

- *Installation by qualified fitter only.*
- *Number of brackets and fitting positions / fixing points vary depending on fitting surface, system weight, fabric make-up, screw / fixing type and obstacles.*
- *Qualified fitter must use appropriate screws / fixings for each situation.*
- *Profile lip if applicable to be installed to room side.*

## **Child Safety**

- *All relevant Silent Gliss systems correspond to child safety EN 13120.*
- *All parties involved must comply with EN 13120.*



# APPLICATION CHART

| <u>PAGE</u> | <u>SYSTEM</u> | <u>OPERATION</u>                                                                  | <u>DIMENSION</u> | <u>DESIGN</u>                                                                       | <u>WAVE</u>                                                                         |
|-------------|---------------|-----------------------------------------------------------------------------------|------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 5           | SG 1003       |  | S                |  |                                                                                     |
| 13          | SG 6100       |  | S - L            |  |  |
| 25          | SG 6103       |  | S - L            |  |  |



# SG 1003

---



## PRODUCT INFORMATION

- **Operation:** hand
- **Range:** S
- **Fitting:** suspended, wall, ceiling
- **Colours:** white RAL 9016 or anodised aluminum, special colours possible
- **Fabrics:** refer to Silent Gliss fabric collection


### **Features:**

- Bendable
- Suspended

# SYSTEM SPECIFICATIONS

## A. PROFILE

Profile and bending information




**SG 1003p**

Profile

Radius:  
✓ 15 cm, 20 cm, >25 cm

## B. HOW TO MEASURE



A: System width

B: System height

C: Distance between floor and fabric

D: Distance between ceiling and system

## C. SPECIFICATION

### EN

Silent Gliss SG 1003 Cubicle Curtain Track System. Comprises aluminium profile SG 1003 supplied made to measure in silver anodised or powder coated in white with gliders SG 3533/SG 3089 at 14/m. 2 stops SG 3070. 2 End caps SG 3014. Top fixed with SG 6124/SG 6190 at 800-1500 mm centres. Wall fixed with SG Smart Fix at 800-1500 mm centres.

### SV

Silent Gliss SG 1003 dusch/draperi system. Består av aluminiumprofil SG 1003 i specificerad längd i vitlack, alu natur eller angiven RAL färg. 14 st SG 3533/3089 glid med krok pr meter. 2 ändstopp SG 3070. Ändskydd SG 3014. Takmonteras med fäste SG 6124/SG 6190 c/c 800-1500 mm. Vägghängning med SG Smart Fix c/c 800-1500 mm.

### NO

Silent Gliss SG 1003 Dusch- og Cubiclesystem Består av aluminiumprofil SG 1003 i spesifisert lengde. Hvitlakkert, alu natur eller spesifisert RAL farge. 14 stk SG 3533/3089 glidere m/krok pr meter. 2 stk endestopp SG 3070. Takmonteres med feste SG 6124/SG6190 c/c 800-1500 mm. Veggmontering med SG Smart Fix c/c 800-1500 mm.

### DA


Silent Gliss SG 1003 gardinskinnesystem til kabiner. Består af aluminiumprofil SG 1003 i ønsket længde, sølvanodiseret eller hvid pulverlakering med 14 stk. glidere SG 3533/SG 3089 pr. m. 2 stop SG 3070. 2 endelåg SG 3014. Loftmonteres med SG 6124/SG 6190 i afstande på 800-1500 mm. Vægmonteres med SG Smart Fix med en afstand på 800-1500 mm.

# FITTING


## A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

### Fixing points




### Dust cover




## B. CEILING FITTING


### Hanger SG 6190 / SG 6196




Or variant with SG 6196 double hanger.



**SG 3042**  
Wall bracket





**SG 6190**  
Hanger



**SG 6196**  
Double hanger

### Mini hanger SG 6175







#### SG 6175

Mini hanger

### Bracket SG 6124




#### SG 6124

Bracket


## C. WALL FITTING

### Smart Fix




#### Smart Fix with slot SG 11206 - SG 11208:

Screw SG 10492 (M4x8) needed.



#### Square Smart Fix with slot SG 11216 - SG 11218:

Screw SG 10492 (M4x8) needed.




#### Universal Smart Fix SG 11154 - SG 11156:

Screw SG 11131 (M4x6) needed.

| Smart Fix           | X mm    |
|---------------------|---------|
| SG 11206 / SG 11216 | 33-51   |
| SG 11207 / SG 11217 | 53-71   |
| SG 11208 / SG 11218 | 73-91   |
| SG 11154            | 102-130 |
| SG 11155            | 132-160 |
| SG 11156            | 182-210 |






**SG 6117**  
Slot nut




**SG 10492**  
Pan head screw M4x8




**SG 11131**  
Pan head screw with flange  
M4x6




**SG 11206**  
Smart Fix with slot 60 mm




**SG 11207**  
Smart Fix with slot 80 mm




**SG 11208**  
Smart Fix with slot 100 mm




**SG 11216**  
Square Smart Fix with slot 60  
mm




**SG 11217**  
Square Smart Fix with slot 80  
mm




**SG 11218**  
Square Smart Fix with slot  
100 mm



**SG 11154**  
Universal Smart Fix 120 mm






**SG 11155**  
Universal Smart Fix 150 mm















**SG 11156**  
Universal Smart Fix 200 mm














# PARTS


## A. STANDARD PARTS

|                                                                                   |                               |
|-----------------------------------------------------------------------------------|-------------------------------|
|   | <b>SG 1003p</b><br>Profile    |
|   | <b>SG 3014</b><br>End cover   |
|   | <b>SG 3070</b><br>End stop    |
|   | <b>SG 3085</b><br>Spring stop |
|   | <b>SG 3533</b><br>Glider      |
|  | <b>SG 6124</b><br>Bracket     |

## B. OPTIONAL PARTS

|                                                                                     |                                           |
|-------------------------------------------------------------------------------------|-------------------------------------------|
|    | <b>SG 3042</b><br>Wall bracket            |
|    | <b>SG 3534</b><br>Glider 3533 on strip    |
|    | <b>SG 3582</b><br>Hook                    |
|    | <b>SG 6110</b><br>Dust cover              |
|    | <b>SG 6117</b><br>Slot nut                |
|   | <b>SG 6125</b><br>Corner connection piece |
|  | <b>SG 6173</b><br>Connection bridge       |
|  | <b>SG 6175</b><br>Mini hanger             |
|  | <b>SG 6190</b><br>Hanger                  |
|  | <b>SG 6196</b><br>Double hanger           |
|  | <b>SG 6501</b><br>V-Hanger                |
|  | <b>SG 6530</b><br>V-Hanger                |
|  | <b>SG 10430</b><br>Draw rod 50 cm         |
|  | <b>SG 10431</b><br>Draw rod 75 cm         |

|                                                                                       |                                                      |
|---------------------------------------------------------------------------------------|------------------------------------------------------|
|    | <b>SG 10432</b><br>Draw rod 100 cm                   |
|    | <b>SG 10433</b><br>Draw rod 125 cm                   |
|    | <b>SG 10434</b><br>Draw rod 150 cm                   |
|    | <b>SG 10492</b><br>Pan head screw M4x8               |
|    | <b>SG 11131</b><br>Pan head screw with flange M4x6   |
|   | <b>SG 11154</b><br>Universal Smart Fix 120 mm        |
|  | <b>SG 11155</b><br>Universal Smart Fix 150 mm        |
|  | <b>SG 11156</b><br>Universal Smart Fix 200 mm        |
|  | <b>SG 11206</b><br>Smart Fix with slot 60 mm         |
|  | <b>SG 11207</b><br>Smart Fix with slot 80 mm         |
|  | <b>SG 11208</b><br>Smart Fix with slot 100 mm        |
|  | <b>SG 11216</b><br>Square Smart Fix with slot 60 mm  |
|  | <b>SG 11217</b><br>Square Smart Fix with slot 80 mm  |
|  | <b>SG 11218</b><br>Square Smart Fix with slot 100 mm |



---

**SG 11335**



*End stop*

---



# SG 6100

---



## **PRODUCT INFORMATION**

- **Operation:** hand
- **Range:** S - L
- **Fitting:** suspended, ceiling, wall
- **Colours:** white RAL 9016, black RAL 9005 or anodised aluminum, special colours possible
- **Fabrics:** refer to Silent Gliss fabric collection


### **Features:**

- Universal room divider
- 2-component (2C) glider technology
- Wave (2C)
- Suspended
- Versatile layouts
- Bendable

# SYSTEM SPECIFICATIONS

## A. PROFILE

Profile and bending information




**SG 6101**

Profile

 Radius:  
20 cm, >25 cm

## B. HOW TO MEASURE



- A: System width
- B: System height
- C: Distance between floor and fabric
- D: Distance between ceiling and system

## C. SPECIFICATION

### TEXT

#### EN

Silent Gliss SG 6100 Cubicle Curtain Track System. Comprises aluminium profile SG 6101 supplied made to measure in silver anodised or powder coated in white. 2 stops SG 6065. 2 End caps SG 6611. Supplied with 2C gliders SG 11300/SG 6145 with hooks at 14/m. Top fixed with SG 6124/SG 6190 at 800-3000 mm centres. Wall fixed with SG Smart Fix at 800-3000 mm centres.

#### SV

Silent Gliss SG 6100 dusch/draperi system. Består av aluminiumprofil SG 6101 i specificerad längd i vitlack, alu natur eller angiven RAL färg.

14 st 11300 SILENT TRACK glid/SG 6145 glid m krok per meter. 2 SG 6065 vridstopp. Ändskydd SG 6611. Takmonteras med fäste SG 6124/SG 6190 c/c 800-3000 mm. Vägghmontering med SG Smart Fix c/c 800-3000 mm.

#### NO

Silent Gliss SG 6100 Dusj- og Cubiclesystem. Består av aluminiumprofil SG 6101 i spesifisert lengde. Hvitlakkert eller alu natur eller spesifisert RAL farge. 14 stk SG 11300 SILENT TRACK glider/SG 6145 glider m/krok pr meter. 2 stk SG6065 vridstopp. Endeløkk SG6611 Takmonteres med feste SG 6124/SG6190 c/c 800-3000mm. Veggmontering med SG Smart Fix c/c 800-1500 mm.


#### DA

Silent Gliss SG 6100 gardinskinnesystem til kabiner. Består af en aluminiumprofil SG 6101 i ønsket længde, sølvanodiseret eller hvid pulverlakering. 2 stop SG 6065. 2 endelåg SG 6611. Leveres med 14 stk. 2C glidere SG 11300/SG 6145 pr m. Loftmonteres med SG 6124/SG 6190 i afstande på 800-3000 mm. Vægmonteres med SG Smart Fix med en afstand på 800-3000 mm.

# FITTING


## A. FITTING INFORMATION

### Fixing points




For detailed fitting information, visit the [Silent Gliss website](#).

### Dust cover




## B. CEILING FITTING

### Hanger SG 6190 / SG 6196




Or variant with SG 6196 double hanger.



**SG 6190**



*Hanger*



**SG 6196**

*Double hanger*



## Mini hanger SG 6175



**SG 6175**

*Mini hanger*

## Bracket SG 6124




**SG 6124**

*Bracket*




## V-hanger




### **SG 6501:**

*V-hangers provide additional lateral stability.*




### **SG 6501**

*V-Hanger*



### **SG 6530:**

*V-hangers provide additional lateral stability.*




### **SG 6530**


*V-Hanger*

C. WALL FITTING


Smart Fix



**Smart Fix with slot SG 11206 - SG 11208:**  
Screw SG 10492 (M4x8) needed.




**Square Smart Fix with slot SG 11216 - SG 11218:**  
Screw SG 10492 (M4x8) needed.



**Universal Smart Fix SG 11154 - SG 11156:**  
Screw SG 11131 (M4x6) needed.

| Smart Fix           | X mm    |
|---------------------|---------|
| SG 11206 / SG 11216 | 33-51   |
| SG 11207 / SG 11217 | 53-71   |
| SG 11208 / SG 11218 | 73-91   |
| SG 11154            | 102-130 |
| SG 11155            | 132-160 |
| SG 11156            | 182-210 |




**SG 6117**  
Slot nut




**SG 10492**  
Pan head screw M4x8




**SG 11131**  
Pan head screw with flange  
M4x6




**SG 11206**  
Smart Fix with slot 60 mm




**SG 11207**  
Smart Fix with slot 80 mm




**SG 11208**  
Smart Fix with slot 100 mm




**SG 11216**  
Square Smart Fix with slot 60  
mm




**SG 11217**  
Square Smart Fix with slot 80  
mm




**SG 11218**  
Square Smart Fix with slot  
100 mm



**SG 11154**  
Universal Smart Fix 120 mm





**SG 11155**  
Universal Smart Fix 150 mm




**SG 11156**  
Universal Smart Fix 200 mm

## Wall support SG 6610 & SG 6614



**SG 6610**

*Wall support*






**SG 6614**

*Wall bracket, metal*


## D. PROFILE JUNCTIONS

### Connection bridges SG 6123 & SG 6514



**SG 6123**



*Connection plate*




**SG 6514**

*T-Junction*

### Connecting bridge SG 6512



*Note: be sure to attach a sketch!*




**SG 6512**


*Connection bridge*

# SYSTEM OPTIONS


## A. LAYOUT OPTIONS



*A: Hanger rod  
B: Wall support*





*A: Hanger rod  
B: Wall support*



*A: Hanger rod  
B: Wall support  
C: V-hanger*

## B. WAVE






SG 11295

SG 11302

*Standard components:*

- SG 11295 End stop
- SG 11302 Wave 2C glider cord 80 mm




SG 2255

SG 2256

SG 6364

SG 6365




SG 6366

SG 10430-34

SG 11303

*Optional components (min. radius >25 cm):*

- SG 2255 Brake
- SG 2256 Brake
- SG 6364 Wave extension
- SG 6365 Wave hanger
- SG 6366 Wave carrier for draw rod
- SG 10430-34 Draw rod
- SG 11303 Wave 2C glider cord 60 mm



SG 3582

SG 6349

SG 6363


SG 10075

SG 10076

*Curtain components:*

- SG 3582 Hook
- SG 6349 Wave curtain tape
- SG 6363 Wave top hemming tape
- SG 10075 Lead weight 50 gr/m
- SG 10076 Fabric weight

Wave stack depth - 2C glider cord (standard components)



A = Stack depth  
B = Stack size  
C = Min. distance





| 2C Glider cord<br>SG 11302 | Pockets between<br>hooks | Approx. curtain<br>fullness | Stack depth<br>A | Stack size<br>B*          | Min distance<br>C |
|----------------------------|--------------------------|-----------------------------|------------------|---------------------------|-------------------|
| 80                         | 6                        | ~2.1                        | 140              | 180 per metre<br>of track | 90                |
| 80                         | 7                        | ~2.3                        | 160              | 180 per metre<br>of track | 100               |

| 2C Glider cord<br>SG 11303 | Pockets between<br>hooks | Approx. curtain<br>fullness | Stack depth<br>A | Stack size<br>B*          | Min distance<br>C |
|----------------------------|--------------------------|-----------------------------|------------------|---------------------------|-------------------|
| 60                         | 4                        | ~2.1                        | 100              | 230 per metre<br>of track | 70                |
| 60                         | 5                        | ~2.3                        | 120              | 230 per metre<br>of track | 80                |







\*Stack size B when using optional extension arm increases  
by 150 mm per curtain stack!










# PARTS











## A. STANDARD PARTS

|                                                                                   |                               |
|-----------------------------------------------------------------------------------|-------------------------------|
|   | <b>SG 6065</b><br>End stop    |
|   | <b>SG 6086</b><br>Spring stop |
|   | <b>SG 6101</b><br>Profile     |
|   | <b>SG 6124</b><br>Bracket     |
|   | <b>SG 6611</b><br>End cover   |
|  | <b>SG 11300</b><br>2C glider  |

## B. OPTIONAL PARTS

|                                                                                     |                                     |
|-------------------------------------------------------------------------------------|-------------------------------------|
|    | <b>SG 2255</b><br>Brake             |
|    | <b>SG 2256</b><br>Brake             |
|    | <b>SG 3582</b><br>Hook              |
|    | <b>SG 6053</b><br>Spring stop       |
|    | <b>SG 6094</b><br>Roller            |
|   | <b>SG 6098</b><br>Roller            |
|  | <b>SG 6110</b><br>Dust cover        |
|  | <b>SG 6112</b><br>Connection bridge |
|  | <b>SG 6117</b><br>Slot nut          |
|  | <b>SG 6123</b><br>Connection plate  |
|  | <b>SG 6175</b><br>Mini hanger       |
|  | <b>SG 6190</b><br>Hanger            |
|  | <b>SG 6196</b><br>Double hanger     |
|  | <b>SG 6283</b><br>Roller            |

|                                                                                       |                                             |
|---------------------------------------------------------------------------------------|---------------------------------------------|
|    | <b>SG 6349</b><br>Wave curtain tape         |
|    | <b>SG 6363</b><br>Wave top hemming tape     |
|    | <b>SG 6364</b><br>Wave extension            |
|    | <b>SG 6365</b><br>Wave hanger               |
|    | <b>SG 6366</b><br>Wave carrier for draw rod |
|   | <b>SG 6501</b><br>V-Hanger                  |
|  | <b>SG 6512</b><br>Connection bridge         |
|  | <b>SG 6530</b><br>V-Hanger                  |
|  | <b>SG 6610</b><br>Wall support              |
|  | <b>SG 6614</b><br>Wall bracket, metal       |
|  | <b>SG 10075</b><br>Lead weight 50 g/m       |
|  | <b>SG 10076</b><br>Fabric weight            |
|  | <b>SG 10430</b><br>Draw rod 50 cm           |
|  | <b>SG 10431</b><br>Draw rod 75 cm           |



|                                                                                     |                                                      |                                                                                   |                                              |
|-------------------------------------------------------------------------------------|------------------------------------------------------|-----------------------------------------------------------------------------------|----------------------------------------------|
|    | <b>SG 10432</b><br>Draw rod 100 cm                   |  | <b>SG 11295</b><br>End stop                  |
|    | <b>SG 10433</b><br>Draw rod 125 cm                   |  | <b>SG 11301</b><br>2C glider on strip        |
|    | <b>SG 10434</b><br>Draw rod 150 cm                   |  | <b>SG 11302</b><br>Wave 2C glider cord 80 mm |
|    | <b>SG 10492</b><br>Pan head screw M4x8               |  | <b>SG 11303</b><br>Wave 2C glider cord 60 mm |
|    | <b>SG 11131</b><br>Pan head screw with flange M4x6   |                                                                                   |                                              |
|   | <b>SG 11154</b><br>Universal Smart Fix 120 mm        |                                                                                   |                                              |
|  | <b>SG 11155</b><br>Universal Smart Fix 150 mm        |                                                                                   |                                              |
|  | <b>SG 11156</b><br>Universal Smart Fix 200 mm        |                                                                                   |                                              |
|  | <b>SG 11206</b><br>Smart Fix with slot 60 mm         |                                                                                   |                                              |
|  | <b>SG 11207</b><br>Smart Fix with slot 80 mm         |                                                                                   |                                              |
|  | <b>SG 11208</b><br>Smart Fix with slot 100 mm        |                                                                                   |                                              |
|  | <b>SG 11216</b><br>Square Smart Fix with slot 60 mm  |                                                                                   |                                              |
|  | <b>SG 11217</b><br>Square Smart Fix with slot 80 mm  |                                                                                   |                                              |
|  | <b>SG 11218</b><br>Square Smart Fix with slot 100 mm |                                                                                   |                                              |





# SG 6103

---



## PRODUCT INFORMATION

- **Operation:** hand
- **Range:** S - L
- **Fitting:** suspended, ceiling, wall
- **Colours:** white RAL 9016 or anodised aluminum, special colours possible
- **Fabrics:** refer to Silent Gliss fabric collection


### **Features:**

- Universal room divider
- 2-component (2C) glider technology
- Wave (2C)
- Suspended
- Versatile layouts
- Bendable

# SYSTEM SPECIFICATIONS

## A. PROFILE

Profile and bending information




**SG 6103p**

Profile



## B. HOW TO MEASURE



A: System width

B: System height

C: Distance between floor and fabric

D: Distance between ceiling and system

## C. SPECIFICATION

### TEXT

#### EN

Silent Gliss SG 6103 Cubicle Curtain Track System. Comprises aluminium profile SG 6103 supplied made to measure in silver anodised or powder coated in white. 2 stops SG 6065. 2 End caps SG 6630. Supplied with 2C gliders SG 11300/SG 6145 with hooks at 14/m. Top fixed with SG 6124//SG 6190 at 800-3000 mm centres. Wall fixed with SG Smart Fix at 800-3000 mm centres.

#### SV

Silent Gliss SG 6103 dusch/draperi system. Består av aluminiumprofil SG 6103 i specificerad längd i vitlack, alu natur eller angiven RAL färg.

14 st 11300 SILENT TRACK glid/SG 6145 glid m krok per meter. 2 SG 6065 vridstopp. Ändskydd SG 6630. Takmonteras med fäste SG 6124/SG 6190 c/c 800-3000 mm. Vägghmontering med SG Smart Fix c/c 800-3000 mm.

#### NO

Silent Gliss SG 6103 Dusj- og Cubiclesystem. Består av aluminiumprofil SG 6103 i spesifisert lengde. Hvitlakkert eller alu natur eller spesifisert RAL farge. 14 stk SG 11300 SILENT TRACK glider/SG 6145 glider m/krok pr meter. 2 stk SG6065 vridstopp. Endeløkk SG6630 Takmonteres med feste SG 6124/SG6190 c/c 800-3000 mm. Veggmontering med SG Smart Fix c/c 800-1500 mm.

#### DA


Silent Gliss SG 6103 gardinskinnesystem til kabiner. Består af en aluminiumprofil SG 6103 i ønsket længde, sølvanodiseret eller hvid pulverlakering. 2 stop SG 6065. 2 endelåg SG 6630. Leveres med 14 stk. 2C glidere SG 11300/SG 6145 pr m. Loftmonteres med SG 6124//SG 6190 i afstande på 800-3000 mm. Vægmonteres med SG Smart Fix med en afstand på 800-3000 mm.

# FITTING


## A. FITTING INFORMATION

### Fixing points

For detailed fitting information, visit the Silent Gliss website.




### Dust Cover




## B. CEILING FITTING

### Hanger SG 6190 / SG 6196




Or variant with SG 6196 double hanger.



**SG 6190**



*Hanger*



**SG 6196**

*Double hanger*



## Mini hanger SG 6175



**SG 6175**

*Mini hanger*


## Bracket SG 6124



**SG 6124**


*Bracket*

## V-hanger




### **SG 6501:**

*V-hangers provide additional lateral stability.*




### **SG 6501**

*V-Hanger*



### **SG 6530:**

*V-hangers provide additional lateral stability.*




### **SG 6530**


*V-Hanger*

C. WALL FITTING


Smart Fix



**Smart Fix with slot SG 11206 - SG 11208:**  
Screw SG 10492 (M4x8) needed.




**Square Smart Fix with slot SG 11216 - SG 11218:**  
Screw SG 10492 (M4x8) needed.



**Universal Smart Fix SG 11154 - SG 11156:**  
Screw SG 11131 (M4x6) needed.

| Smart Fix           | X mm    |
|---------------------|---------|
| SG 11206 / SG 11216 | 33-51   |
| SG 11207 / SG 11217 | 53-71   |
| SG 11208 / SG 11218 | 73-91   |
| SG 11154            | 102-130 |
| SG 11155            | 132-160 |
| SG 11156            | 182-210 |




**SG 6117**  
Slot nut




**SG 10492**  
Pan head screw M4x8




**SG 11131**  
Pan head screw with flange  
M4x6




**SG 11206**  
Smart Fix with slot 60 mm




**SG 11207**  
Smart Fix with slot 80 mm




**SG 11208**  
Smart Fix with slot 100 mm




**SG 11216**  
Square Smart Fix with slot 60  
mm




**SG 11217**  
Square Smart Fix with slot 80  
mm




**SG 11218**  
Square Smart Fix with slot  
100 mm



**SG 11154**  
Universal Smart Fix 120 mm





**SG 11155**  
Universal Smart Fix 150 mm



**SG 11156**  
Universal Smart Fix 200 mm


## D. WALL SUPPORT

### Bracket SG 6620




**SG 6123**

Connection plate



**SG 6620**

Wall bracket





**SG 6631**

Connection piece


## E. PROFILE

### JUNCTIONS

#### Connection bridge SG 6521




Note: be sure to attach a sketch!




**SG 6521**

Connection bridge

#### Connection set SG 6635






**SG 6635**


Connection bridge set

# SYSTEM OPTIONS


## A. LAYOUT OPTIONS



A: Hanger rod  
B: Wall support




A: Hanger rod  
B: Wall support




A: Hanger rod  
B: Wall support  
C: V-hanger

## B. WAVE








SG 11295

SG 11302

**Standard components:**

- SG 11295 End stop
- SG 11302 Wave 2C glider cord 80 mm




SG 2255

SG 2256

SG 6364

SG 6365




SG 6366

SG 10430-34

SG 11303

**Optional components:**

- SG 2255 Brake
- SG 2256 Brake
- SG 6364 Wave extension
- SG 6365 Wave hanger
- SG 6366 Wave carrier for draw rod
- SG 10430-34 Draw rod
- SG 11303 Wave 2C glider cord 60 mm



SG 3582

SG 6349

SG 6363


SG 10075

SG 10076

**Curtain components:**

- SG 3582 Hook
- SG 6349 Wave curtain tape
- SG 6363 Wave top hemming tape
- SG 10075 Lead weight 50 gr/m
- SG 10076 Fabric weight

**Wave stack depth - 2C glider cord (standard components)**







| 2C Glider cord<br>SG 11302 | Pockets between<br>hooks | Approx. curtain<br>fullness | Stack depth<br>A | Stack size<br>B*          | Min distance<br>C |
|----------------------------|--------------------------|-----------------------------|------------------|---------------------------|-------------------|
| 80                         | 6                        | ~2.1                        | 140              | 180 per metre<br>of track | 90                |
| 80                         | 7                        | ~2.3                        | 160              | 180 per metre<br>of track | 100               |

| 2C Glider cord<br>SG 11303 | Pockets between<br>hooks | Approx. curtain<br>fullness | Stack depth<br>A | Stack size<br>B*          | Min distance<br>C |
|----------------------------|--------------------------|-----------------------------|------------------|---------------------------|-------------------|
| 60                         | 4                        | ~2.1                        | 100              | 230 per metre<br>of track | 70                |
| 60                         | 5                        | ~2.3                        | 120              | 230 per metre<br>of track | 80                |




\*Stack size B when using optional extension arm increases by 150 mm per curtain stack!





# PARTS















## A. STANDARD PARTS

|                                                                                   |                               |
|-----------------------------------------------------------------------------------|-------------------------------|
|   | <b>SG 6065</b><br>End stop    |
|   | <b>SG 6086</b><br>Spring stop |
|   | <b>SG 6103p</b><br>Profile    |
|   | <b>SG 6124</b><br>Bracket     |
|   | <b>SG 6630</b><br>End cover   |
|  | <b>SG 11300</b><br>2C glider  |

## B. OPTIONAL PARTS

|                                                                                     |                                           |
|-------------------------------------------------------------------------------------|-------------------------------------------|
|    | <b>SG 2255</b><br>Brake                   |
|    | <b>SG 2256</b><br>Brake                   |
|    | <b>SG 3582</b><br>Hook                    |
|    | <b>SG 6053</b><br>Spring stop             |
|    | <b>SG 6094</b><br>Roller                  |
|   | <b>SG 6098</b><br>Roller                  |
|  | <b>SG 6110</b><br>Dust cover              |
|  | <b>SG 6117</b><br>Slot nut                |
|  | <b>SG 6123</b><br>Connection plate        |
|  | <b>SG 6125</b><br>Corner connection piece |
|  | <b>SG 6175</b><br>Mini hanger             |
|  | <b>SG 6190</b><br>Hanger                  |
|  | <b>SG 6196</b><br>Double hanger           |
|  | <b>SG 6283</b><br>Roller                  |

|                                                                                       |                                             |
|---------------------------------------------------------------------------------------|---------------------------------------------|
|    | <b>SG 6349</b><br>Wave curtain tape         |
|    | <b>SG 6363</b><br>Wave top hemming tape     |
|    | <b>SG 6364</b><br>Wave extension            |
|    | <b>SG 6365</b><br>Wave hanger               |
|    | <b>SG 6366</b><br>Wave carrier for draw rod |
|   | <b>SG 6501</b><br>V-Hanger                  |
|  | <b>SG 6521</b><br>Connection bridge         |
|  | <b>SG 6530</b><br>V-Hanger                  |
|  | <b>SG 6620</b><br>Wall bracket              |
|  | <b>SG 6631</b><br>Connection piece          |
|  | <b>SG 6635</b><br>Connection bridge set     |
|  | <b>SG 10075</b><br>Lead weight 50 g/m       |
|  | <b>SG 10076</b><br>Fabric weight            |
|  | <b>SG 10430</b><br>Draw rod 50 cm           |

|                                                                                     |                                                     |                                                                                   |                                                      |
|-------------------------------------------------------------------------------------|-----------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------|
|    | <b>SG 10431</b><br>Draw rod 75 cm                   |  | <b>SG 11218</b><br>Square Smart Fix with slot 100 mm |
|    | <b>SG 10432</b><br>Draw rod 100 cm                  |  | <b>SG 11295</b><br>End stop                          |
|    | <b>SG 10433</b><br>Draw rod 125 cm                  |  | <b>SG 11301</b><br>2C glider on strip                |
|    | <b>SG 10434</b><br>Draw rod 150 cm                  |  | <b>SG 11302</b><br>Wave 2C glider cord 80 mm         |
|    | <b>SG 10492</b><br>Pan head screw M4x8              |  | <b>SG 11303</b><br>Wave 2C glider cord 60 mm         |
|   | <b>SG 11131</b><br>Pan head screw with flange M4x6  |                                                                                   |                                                      |
|  | <b>SG 11154</b><br>Universal Smart Fix 120 mm       |                                                                                   |                                                      |
|  | <b>SG 11155</b><br>Universal Smart Fix 150 mm       |                                                                                   |                                                      |
|  | <b>SG 11156</b><br>Universal Smart Fix 200 mm       |                                                                                   |                                                      |
|  | <b>SG 11206</b><br>Smart Fix with slot 60 mm        |                                                                                   |                                                      |
|  | <b>SG 11207</b><br>Smart Fix with slot 80 mm        |                                                                                   |                                                      |
|  | <b>SG 11208</b><br>Smart Fix with slot 100 mm       |                                                                                   |                                                      |
|  | <b>SG 11216</b><br>Square Smart Fix with slot 60 mm |                                                                                   |                                                      |
|  | <b>SG 11217</b><br>Square Smart Fix with slot 80 mm |                                                                                   |                                                      |

## ***The Architects of Silence***

***Silent Gliss is the leading global supplier of premium interior window treatments. Since 1952 we have been tirelessly committed to the development of the worlds` smoothest, quietest systems using state of the art technology.***

*Driven by customer needs, Silent Gliss offers functional and durable products. Expert technical advice coupled with installation and support services complete the offer. Silent Gliss stands for innovative, sustainable, tailor made solutions, exceptional design and first-class quality.*

### **Silent Gliss Nordic AB**

Travbanegatan 9  
213 77 Malmö  
Sweden  
**T** +46 40 55 52 50  
info@silentgliss.se

Byggdøy Allé 111A  
0273 Oslo  
Norway  
**T** +47 24 11 80 60  
info@silentgliss.no

Denmark  
**T** +45 36 77 67 00  
info@silentgliss.dk

**silentgliss.se**  
**silentgliss.no**  
**silentgliss.dk**