SG 2320



PRODUCT INFORMATION

- ***Operation:*** *chain*
- ***Range:*** *S - M*
- ***Fitting:*** *ceiling, wall*
- ***Colours:*** *white RAL 9016*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *1-to-1 gear drive*
- *Stainless steel bead chain*
- *Enclosed headrail*

SilentGliss

SYSTEM SPECIFICATIONS

A. SYSTEM DIMENSIONS

3 m



60 cm



3 m

9 m²

2.5 kg

B. PROFILE

Profile information



SG 2321
Profile



SG 8214
Profile ø 18 mm



SG 2004
Bottom bar 20x7 mm



SG 2135
Rod steel ø 3 mm

SG 2137
Rod fiberglass ø 4 mm

C. HOW TO MEASURE



A: System width
B: System height
C: Chain height
D: Safety retainer SG 10731 min. 150 cm above floor

D. SPECIFICATION TEXT

EN

Silent Gliss SG 2320 Chain Operated Roman Blind Headrail System. Comprises headrail SG 2321 made to measure and powder coated in white. Profile SG 8214 with cord holder SG 2323 and detachable cord lock SG 2322 for easy dismantling when washing the fabric. Cord SG 2216 and metal bead chain SG 4845. Top fix using clip bracket SG 2616. Wall fix with SG Smart Fix and SG 2616/SG 2643 at max. 90cm between fixing points. Fabric to be attached to headrail profile using loop tape. Fabric make up according to type A-D in the system description. For hardfold, the curtain should be delivered with rods SG2144 / SG 2135 / SG 2135. Child Safety components included, compliant to Child Safety Legislation EN 13120. Fabric to be chosen from the Silent Gliss fabric range, Price Groups 1-4.

SV

Silent Gliss SG 2320 kedjemanövrerat hissgardinsystem med toppkassett. Levereras komplett i specificerat mått innefattande kassett SG SG 2321 vitlack. Profil SG 8214 med linhållare SG 2323 med avtagbart linlås SG 2322 för enkel nermontering av gardinen utan behov av omträdning efter tvätt. Lina SG2216 och metallkedja SG 4845. Takmontering med SG 2616. Väggmontering med SG Smart Fix i kombination med SG 2616/SG 2643. Max. c/c 900 mellan fästpunkter. Textil fästes mot kassett med kardborrtape. Sömnad typ A-D enligt systembeskrivning. Gardin med tvärstag levereras med tvärstag SG 2144 / SG 2137 / SG 2135. Barnsäkerhetsdetaljer inkluderade vilka uppfyller barnsäkerhetsnorm EN 13120. Textil från Silent Gliss textilprogram i prisgrupp 1-4.

NO

Silent Gliss SG2320 Kjedebetjent liftgardin med toppkasse. Leveres komplett på spesifisert mål. Består av kassett SG2321 hvitlakkert. Profil SG8214, med snorholder SG2323 og avtagbar snorlås SG2322 for enkel demontering, og for å unngå ny trekking av tråder etter vask. Tråd SG2216 og metallkjede SG4845. Takmontering med SG2616. Veggmontering SG Smart fix i kombinasjon med SG2616/SG2643. Max c/c 900 mellom festepunktene. Tekstilen festes i kassetten med borrelås. Søm type A-D i.h.t. systembeskrivelse. Gardiner med spiler leveres med spile SG2144/SG2137/SG2135. Oppfyller krave til barnesikkerhetsnormen EN13120. Tekstiler fra Silent Gliss tekstilprogram i prisgruppe 1-4.

DA

Silent Gliss SG 2320 kædestyret rullegardinsystem med topkassette. Består af topkassette SG 2321 i specificerede mål og med hvid pulverlakering. Profil SG 8214 med snorholder SG 2323 og aftagelig snorlås SG 2322, så det er nemt at skille ad, når stoffet skal vaskes. Snor SG 2216 og metalkæde SG 4845. Fastgøres i loftet med clipsbeslag SG2616. Vægmonteres med SG Smart Fix og SG 2616/SG 2643 med en afstand på 90 cm mellem fastgøringspunkterne. Stoffet fastgøres til kassetten med burrelås. Stoffets søm i henhold til type A-D i systembeskrivelsen. Gardin med tværstang bør leveres med stængerne SG2144 / SG 2135 / SG 2135. Børnesikkerhedskomponenter medfølger. Overholder lovgivning om børnesikkerhed efter EN 13120. Stoffet vælges fra Silent Gliss stofprogrammet, prisgrupper 1-4.

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. CEILING FITTING

Bracket SG 2616





SG 2616

Bracket

C. WALL FITTING

Smart Fix



Smart Fix SG 11200 - SG 11205 and bracket SG 2616:
Screw SG 10395 (M4x6) needed.



Square Smart Fix SG 11210 - SG 11215 and bracket SG 2616:
Screw SG 10395 (M4x6) needed.



Universal Smart Fix SG 11154 - SG 11156 and bracket SG 2616:
Screw SG 10492 (M4x8) needed.

Smart Fix	*X mm*
SG 11200 / SG 11210	*70-76*
SG 11201 / SG 11211	*90-96*
SG 11202 / SG 11212	*110-116*
SG 11203 / SG 11213	*130-136*
SG 11204 / SG 11214	*160-166*
SG 11205 / SG 11215	*210-216*
SG 11154	*126-154*
SG 11155	*156-184*
SG 11156	*206-234*



SG 2616

Bracket

SG 10395

Pan head screw M4x6

SG 10492

Pan head screw M4x8



SG 11200

Smart Fix 60 mm



SG 11201

Smart Fix 80 mm



SG 11202

Smart Fix 100 mm



SG 11203

Smart Fix 120 mm



SG 11204

Smart Fix 150 mm



SG 11205

Smart Fix 200 mm



SG 11210

Square Smart Fix 60 mm



SG 11211

Square Smart Fix 80 mm



SG 11212

Square Smart Fix 100 mm



SG 11213

Square Smart Fix 120 mm



SG 11214

Square Smart Fix 150 mm



SG 11215

Square Smart Fix 200 mm



SG 11154

Universal Smart Fix 120 mm



SG 11155

Universal Smart Fix 150 mm



SG 11156

Universal Smart Fix 200 mm

Bracket SG 2343





SG 2343

Bracket 46 mm

D. FITTING WITH SIDE GUIDE OPTION







SG 2338
Side guide wire holder



SG 8235
Side guide wire base short



SG 8236
Side guide wire base long



SG 8237
Side guide wire holder



SG 8249
Side guide device



SG 10120
Side guide wire ø 0.9 mm

SYSTEM OPTIONS

A. FABRIC MAKE-UP



Type A

A: Loop tape SG 3074
B: Cord SG 2216
C: Child safety hook set SG 3164
D: Hollow hem
E: Bottom bar SG 2004
F: Child safety: max. distance 200 mm



Type B

A: Hollow hem
B: Child safety eyelet hard fold SG 3069
C: Rod SG 2135
D: Cord SG 2216
E: Child safety hook set SG 3164



Type C

A: Child safety eyelet set SG 3161
B: Tube SG 2135 / SG 2137
C: Cord SG 2216
D: Child safety hook set SG 3164
E: Option: tube SG 2135 / SG 2137 can be installed to room side

B. SIDE GUIDES



Additional parts:

- *2x SG 2338 Side guide wire holder*
- *2x SG 8235 Side guide wire base short*
- *2x SG 8237 Side guide wire holder*
- *4x SG 8249 Side guide device*
- *2x SG 10120 Side guide wire ø 0.9 mm*

Note:

- *Up to 15° from vertical*

PARTS

A. STANDARD PARTS



SG 2004
Bottom bar 20x7 mm

SG 2216
Cord ø 0.85 mm



SG 2221
Velcro tape



SG 2321
Profile

SG 2322
Pin



SG 2323
Shell



SG 2327
Tube adapter



SG 2328
Tube adapter



SG 2335
Drive case 1:1



SG 2336
Support



SG 2337
End cover

SG 2339
Cover

SG 2341
Chain wheel for steel bead chain



SG 2344
Sleeve for metal bead chain

SG 2539
Tape

SG 2616
Bracket



SG 3164
Child safety hook set

SG 4845
Bead chain metal ø 4.5 mm

SG 8214
Profile ø 18 mm



SG 10139
Countersunk screw 2.9x6.5

SG 10731
Child safety retainer set

B. OPTIONAL PARTS



SG 2135
Rod steel ø 3 mm



SG 2137
Rod fiberglass ø 4 mm

SG 2333
Chain wheel for plastic bead chain



SG 2334
Sleeve for plastic bead chain



SG 2338
Side guide wire holder



SG 2343
Bracket 46 mm



SG 2865
Bead chain connector ø 4.6 mm

SG 2872
Bead chain plastic ø 4.6 mm



SG 3055
Hook

SG 3069
Child safety eyelet



SG 3074
Loop tape



SG 3161
Child safety eyelet set

SG 3340
Cord/chain weight

SG 8235
Side guide wire base short

SG 8236

Side guide wire base long



SG 8237

Side guide wire holder



SG 8249

Side guide device

SG 10120

Side guide wire ø 0.9 mm

SG 10395

Pan head screw M4x6



SG 10492

Pan head screw M4x8



SG 11154

Universal Smart Fix 120 mm



SG 11155

Universal Smart Fix 150 mm



SG 11156

Universal Smart Fix 200 mm



SG 11200

Smart Fix 60 mm



SG 11201

Smart Fix 80 mm



SG 11202

Smart Fix 100 mm



SG 11203

Smart Fix 120 mm



SG 11204

Smart Fix 150 mm



SG 11205

Smart Fix 200 mm



SG 11210

Square Smart Fix 60 mm



SG 11211

Square Smart Fix 80 mm



SG 11212

Square Smart Fix 100 mm



SG 11213

Square Smart Fix 120 mm



SG 11214

Square Smart Fix 150 mm



SG 11215

Square Smart Fix 200 mm



SG 11482

Ring